

- (1) **AGGELIDES, S., YOUNGS, E.G., 1978** - The dependance of the parameters in the Green and Ampt infiltration equation on the initial water content in draining and wetting states. Water Resources Research, 14, 5, p.857-862.
- (2) **AHUJA, L.R., 1983** – Modeling infiltration into crusted soils by the Green-Ampt approach. Soil Sci. Soc. Am. J., 47, p.412-418.
- (3) **AHUJA, L.R., ROSS, 1983** – A new Green-Ampt model for infiltration through a surface seal permitting transient parameters below the seal ; ASAE Publication Advances in Infiltration, 11-83, 147-162.
- (4) **ALLMARAS, R.R., BURWELL, R.E., LARSON, W.E., HOLT, R.F., 1966** – Total porosity and random roughness of the interrow zone as influenced by tillage. Conservation research report No.7, U.S. Department of Agriculture, 22p.
- (5) **ANDRIEU, B., ALLIRAND, J.M., JAGGARD, K., 1997** – Ground cover and leaf area index of maize and sugar beet crops. Agronomie, 17, p.315-321.
- (6) **ARMSTRONG, C.L., MITCHELL, J.K., 1988** - Plant canopy characteristics which affect transformation of rainfall properties. Trans ASAE, 31, 5, p.1400-1409.
- (7) **ASSOULINE, S., MUalem, Y., 1989** – The similarity of regional rainfall : a dimensionless model of drop size distribution. Transactions of the ASAE, p.1216-1222.
- (8) **BABAU, M.C., 1987** – La pluie, son intensité, son énergie. Manuel pratique d'établissement de courbes intensité - fréquence - durée, et du calcul de l'agressivité pluviale R de Wischmeier. Programme de la météorologie Agricole, rapport CMAG, no.26 (série manuels pratiques no.1), 42p.
- (9) **BARET, F., ANDRIEU, B., FOLMER, J.C., HANOCQ, J.H., SARROUY, C., 1993** – Gap fraction measurement from hemispherical infrared photography and its use to evaluate PAR interception efficiency. In : « Crop structure and light microclimate : characterisation and applications », Varlet-Grancher C., Bonhomme R., Sinoquet H. (Eds.) , Workshop, Saumane (FRA), 23-27/09/1991, INRA, Paris, 359-371.
- (10) **BEST, A.C., 1950** – The size distribution of raindrops. Q. J. Roy. Meteorol. Soc, 76, p. 16-36.
- (11) **BEVEN, K.J., (Ed.), 1997** – Distributed Modelling in Hydrology: Applications of TOPMODEL, Wiley, Chichester.
- (12) **BLAKE, G. J., 1975** – The interception process. Austral Acad. Sci., ALT Chapman and Dunin Ed., National Symposium on Hydrology, Cambera.
- (13) **BOIFFIN, J., 1984** – La dégradation structurale des couches superficielles du sol sous l'action des pluies. Thèse de l'INA P-G, 320 p. + annexes.
- (14) **BOIFFIN, J., PAPY, F., EIMBERCK, M., 1988** - Influence des systèmes de culture sur les risques d'érosion par ruissellement concentré. I - Analyse des conditions de déclenchement de l'érosion. Agronomie, 8 (8), 663-673.
- (15) **BOIFFIN, 1989** – Les comportements physiques du sol. In : Le profil cultural. Recueil bibliographique, INRA, Laboratoire d'Agronomie, p.52-72.
- (16) **BOUWER, H., 1966** – Rapid field measurement of air entry value and hydraulic conductivity of soil as significant parameters in flow system analysis. Water Resources Research, vol. 2, n°4, p.729-738.
- (17) **BOUWER, H., 1969** – Infiltration of water into non-uniform soil. J. Irrig. Drain. Div. Amer. Soc. Civil Eng., 95 (IR4), 451-462.
- (18) **BRAKENSIEK, D.L., 1977** – Estimating the effective capillary pressure in the Green and Ampt infiltration equation. Water Res. Res., vol.13, no.3, p.680-682.
- (19) **BRAKENSIEK, D.L., RAWLS, W.J., 1983** – Agricultural management effects on soil water processes. Part II. Green and Ampt parameters for crusting soils. Trnas. Of the ASAE, p.1753-1757.
- (20) **BRIDGE, B.J., SILBURN, DM., 1995** –Methods for obtaining surface seal hydraulic properties and how they are incorporated into infiltration models. Proceedings of the 2<sup>nd</sup>

- International Symposium on Sealing, Crusting and Hardsetting Soils : Productivity and Conservation, University of Queensland, Brisbane, Australia, Ed. H.B. So, G.D. Smith, S.R. Raine, B.M. Schafer and R.J. Loch, Australien Society of Soil Science Inc., p.205-221.
- (21) **BRISSON, N., MARY, B., RIPOCHE, D., JEUFFROY, M.H., RUGET, F., NICOUILLAUD, B., GATE, P., DEVIENNE, F., ANTONOLETTI, R., DÜRR, C., RICHARD, G., BEAUDOIN, N., RECOUS, S., TAYOT, X., PLÉNET, D., CELLIER, P., MACHET, J.M., MEYNARD, J.M., DELÉCOLLE, R., 1998** – STICS: a generic model for the simulation of crops and their water and nitrogen balances I. Theory and parametrization applied to wheat and corn. *Agronomie*, 18, 311-346.
- (22) **BRISTOW, K.L., CASS, A., SMETTEM, K.R.J., ROSS, P.J., 1994** – Water entry into sealing, crusting and hardsetting soils : a review and illustrative simulation study. Proceedings of the 2<sup>nd</sup> International Symposium on Sealing, Crusting and Hardsetting Soils : Productivity and Conservation, University of Queensland, Brisbane, Australia, Ed. H.B. So, G.D. Smith, S.R. Raine, B.M. Schafer and R.J. Loch, Australien Society of Soil Science Inc., p.183-203.
- (23) **BULTOT, F., DUPRIEZ, G.L., BODEUX, A., 1972** – Interception de la pluie par une végétation forestière : estimation de l'interception forestière à l'aide d'un modèle mathématique. *J. Hydrol.*, 17 : 193-223.
- (24) **BURWELL, R.E., LARSON, W.E., 1969** – Infiltration as influenced by tillage-induced random roughness and pore space. *Soil Sci. Soc. Amer. Proc.*, vol.33, p.449-452.
- (25) **CALDER, I.R., 1996** – Rainfall interception and drop size. Development and calibration of the two-layer stochastic interception model. *Tree physiology*. 16 : 727-732.
- (26) **CAMPBELL, G.S., NORMAN, J.N., 1998** – An introduction to environmental biophysics. Second edition. Springer Verlag, New York, 286 p.
- (27) **CARTER, C.E., GREER, J.D., BRAUD, H.J., FLOYD, J.M., 1974** – Raindrop characteristics in South Central United States. *Trans. ASAE*, 17, p.1033-1037.
- (28) **CERDAN, O., 1997** – Prise en compte des états de surface des parcelles et de leur organisation spatiale dans la modélisation du ruissellement et de l'érosion à l'échelle du bassin versant. DEA National de Science du sol, Université Henri Poincaré-Nancy I, France, 54p.
- (29) **CERDAN, O., 2001** – Analyse et modélisation du transfert de particules solides à l'échelle de petits bassins versants cultivés. Thèse de l'Université d'Orléans, INRA d'Orléans, 163p.
- (30) **CHASSAGNEUX, P., CHOISNEL, E., 1986** – Modélisation de l'évaporation globale d'un couvert forestier. I - principes physiques et description du modèle. *Annales des Sciences Forestières*, vol. 43, n°4, p.505-519.
- (31) **CHU, S.T., 1985** – Modeling infiltration and tilled soil during non-uniform rain. *Trans ASAE*, 28, p.1226-1229 & 1232.
- (32) **CLAUDEVILLE X., 1976** – Eléments d'analyse hydrologique détaillée. Exemple du basin supérieur de la Dronne (Dordogne). Thèse, Univ. Bordeaux III, 353p.
- (33) **CONNOLLY, R.D., SCHIRMER, J., DUNN, P.K., 1998** – A daily rainfall disaggregation model. *Agricultural and Forest Meteorology*, No.92, p.105-117.
- (34) **COPPOLA, A., 2000** – Unimodal and bimodal descriptions of hydraulic properties for aggregated soils. *Soil Sci. Soc. Am. J.*, vol.64, p.1252-1262.
- (35) **COQUET, Y., BOUCHER, A., LABAT, C., VACHIER, P., ROGER-ESTRADE, J., 2000** – Caractérisation hydrodynamique des sols à l'aide de l'infiltromètre à disques. Aspects théoriques et pratiques. *Etude et Gestion des Sols*, 7, 1, p.7-24.
- (36) **CORRADINI, C., MELONE, F., SMITH, R.E., 1994** – Modeling infiltration during complex rainfall sequences. *Water Resources Research*, Vol.30, No.10, p. 2777-2784.
- (37) **CORRADINI, C., MELONE, F., SMITH, R.E., 1997** – A unified model for infiltration and redistribution during complex rainfall patterns. *Journal of Hydrology*, 192, p.104-124.

- (38) **CORRADINI, C., MELONE, F., SMITH, R.E., 2000** – Modeling local infiltration for a two-layered soil under complex rainfall patterns. *Journal of Hydrology*, 237, p.58-73.
- (39) **COUTADEUR, C., COQUET, Y., ESTRADE, J.-R., 2001** – Effect of the spatial variability of soil structure in the ploughed layer on its hydraulic properties (soumis à : *European Journal of Soil Science*).
- (40) **COUTURIER, D.E., RIPLEY, E.A., 1973** – Rainfall interception in mixed grass prairie. *Can. J. Plant Sci.*, 53 : 659-663.
- (41) **CROCKFORD, R.H., RICHARDSON, D.P., 1990** – Partitioning of rainfall in a eucalyptus forest and pine plantation in southeastern Australia : IV. The relationship of interception and canopy storage capacity, the interception of these forests, and the effect on interception of thinning the pine plantation. *Hydrological Processes*, 4, p.169-188.
- (42) **CROCKFORD, R.H., RICHARDSON, D.P., 2000** – Partitioning of rainfall into throughfall, stemflow and interception : effect of forest type, ground cover and climate. *Hydrological Processes*, 14, p.2903-2920.
- (43) **CURRENCE, H.D., LOVELY, W.G., 1970** – The analysis of soil surface roughness. *Trans. ASAE*, 13, p.710-714.
- (44) **DARBOUX, 1999** – Modélisations numérique et expérimentale du ruissellement. Effet de la rugosité sur les distances de transfert. Thèse, Université de Rennes, INRA-ENSAR.
- (45) **DARCY, H., 1856** – Les fontaines publiques de la ville de Dijon. Dalmont, Paris.
- (46) **DASTANE, N.G., 1977** - Précipitations efficaces. *Bull. FAO Irrigation et Drainage*, 25, 94p.
- (47) **DE ROO, A.P.J., WESSELING, C.G., CREMERS, N.H.D.T., OFFERMANS, R.J.E., RITSEMA, C.J., VAN OOSTINDIE, K., 1994** – LISEM: a new physically-based hydrological and soil erosion model in a GIS-environment: Theory and implementation. IAHS Publication No. 224 (Proceedings of the Canberra Conference), p.439-448.
- (48) **DE ROO, A.P.J., OFFERMANS, R.J.E., 1995** – LISEM: A Physically based hydrologic and soil erosion model for basin scale water and sediment management: sensitivity analysis, calibration and validation. IAHS Publication No. 231 (Proceedings of a Boulder symposium), p.399-407.
- (49) **DIEKKRÜGER, B., BORK, H.-R., 1994** – Temporal variability of soil surface crust conductivity. *Soil technology*, 7, p.1-18.
- (50) **DUCHAUFOUR, P., 1995** – Pédologie : sol, végétation, environnement. Masson, Paris, 324 p.
- (51) **DUVAL, Y., BOIFFIN, J., 1993** – La dynamique de formation des croûtes de battance. In : Implantation de la betterave industrielle, Chauny (France), 4 juin 1993, Ed. INRA, Paris 1994, Les Colloques, no.67, p.67-85.
- (52) **EDWARDS, W.R., LARSON, W.E., 1969** – Infiltration of water into soils as influenced by surface seal development. *Trans. ASAE*, 12(4), p.463-465 & 470.
- (53) **ESTEVES, M., FAUCHER, X., GALLE, S., VAUCLIN, M., 2000** – Overland flow and infiltration modelling for small plots during unsteady rain : numerical results versus observed values. *Journal of Hydrology*, 228, p.265-282.
- (54) **FALLOW, D.J., ELRICK, D.E., 1996** – Field measurement of air-entry and water-entry soil water pressure heads. *Soil Sci. Soc. Am. J.*, 60, p.1036-1039.
- (55) **FLANAGAN, D.C., ASCOUGH II, J.C., NICKS, A.D., NEARING, M.A., LAFLEN, J.M., 1995** – Chapter 1. Overview of the WEPP Erosion Prediction Model, 12p. In : USDA-Water Erosion Prediction Project, Hillslope Profile and Watershed Model Documentation, NSERL Report no.10, July 1995.
- (56) **FOHRER, N., BERKENHAGEN, J., HECKER, J.-M., RUDOLPH, A., 1999** – Changing soil and surface conditions during rainfall single rainstorm / subsequent rainstorms. *Catena*, 37, p.355-375.

- (57) **FOSTER, G.R., LANE, L.J. (Eds), 1987** – User requirements : USDA-Water Erosion Prediction Project (WEPP). NSERL Report No.1, Sept. 1, 1987. USDA-ARS National Soil Erosion Research Laboratory, West Lafayette, IN. 43pp.
- (58) **FOURNIER, F., 1960** – Climat et érosion. Presses Universitaires de France, Paris, 201p.
- (59) **FOX, D.M., LE BISSONAIS, Y., QUETIN, P., 1998a** – The implications of spatial variability in surface seal hydraulic resistance for infiltration in a mound and depression microtopography. *Catena*, 32, p.101-114.
- (60) **FOX, D.M., LE BISSONAIS, Y., BRUAND, A., 1998b** – The effect of ponding depth on infiltration in a crusted surface depression. *Catena*, 32, p.87-100.
- (61) **FRANKENBERGER, E., 1960** – Ber. Dtsch. Wetterdienstes., Nr.73, Bd 10.
- (62) **FRIESLAND, H., SCHRÖDTER, H.S., 1988** – The analysis of weather factors in epidemiology. In : Experimental techniques in plant disease epidemiology, Springer Verlag, p.131.
- (63) **GABRIELLE, B., MENASSERI, S., HOUOT, S., 1995** – Analysis and field-evaluation of the CERES models' water balance component, *Soil Sci. Soc. Am. J.* 59:1402-1411.
- (64) **GASH, J.H.C., 1979** – An analytical model of rainfall interception by forests. *Q.J.R. Meteorol. Soc.*, 105, p.43-55.
- (65) **GASH, J.H.C., LLOYD, C.R., LACHAUD, G., 1995** – Estimating sparse forest rainfall interception with an analytical model. *J. Hydrol.*, 170, p.79-86.
- (66) **GILLEY, J.E., FLANAGAN, D.C., KOTTWITZ, E.R., WELTZ, M.A., 1992** – Darcy-Wiesbach roughness coefficients for overland flow. In : Parsons, A.J., Abrahams, A.D. (Eds.), Overland Flow - Hydraulics and Erosion Mechanisms. UCL Press, p.25-52.
- (67) **GIMENEZ, D., DIRKSEN, C., MIEDEMA, R., EPPINK, L.A.A.J., SHOONDERBEEK, D., 1992** – Surface sealing and hydraulic conductances under varying-intensity rains. *Soil Sci. Soc. Am. J.*, 56 : p.234-242.
- (68) **GIRARDIN, P., 1998** – Ecophysiologie du maïs. Association Générale des Producteurs de Maïs. 323p.
- (69) **GOLDMAN, D.M., 1989** – Loss rate representation in the HEC-1 Watershed Model. In : Unsaturated flow in hydrologic modeling, theory and practice, ed. H.J. Morel-Seytoux, p.345-390. Kluwer Academic publishers, Boston, MA.
- (70) **GOVERS, G., TAKKEN, I., HELMING, K., 2000** – Soil roughness and overland flow. *Agronomie*, no.20, p.131-146.
- (71) **GREEN, W.H., AMPT, G.A., 1911** – Studies on soil physics, 1, the flow of air and water through soils. *J. Agr. Sci.*, n°4, p. 1-24.
- (72) **GRISOLLET, H., 1948** - Etude des averses orageuses de la région parisienne. *La Météorologie*, n°11, p. 175-195.
- (73) **GUYOT, G., 1997** – Climatologie de l'environnement. De la plante aux écosystèmes. Masson Ed., Paris, 505 p.
- (74) **HALLAIRE, V., 1975** – Profil de Folleville, INA P-G – Référentiel pédologique.
- (75) **HALLAIRE, V., 1991** – Une méthode d'analyse bidimensionnelle du retrait d'échantillons naturels de sol. *Science du Sol*, vol.29, no.2, p.147-158.
- (76) **HANSEN, B., CHJØNNING, P., SIBBESEN, E., 1999** – Roughness indices for estimation of depression storage capacity of tilled surfaces. *Soil & Tillage Resarch*, no.52, p.103-111.
- (77) **HANSEN, B., 2000** – Estimation of surface runoff and water-covered area during filling of surface microrelief depressions. *Hydrological processes*, no.14, p.1235-1243.
- (78) **HELBERT, J., 1997** – Etude du stockage de l'eau superficielle par une culture. Rapport de stage de DEA, Univ. Paris VII / Univ. Versailles-Saint-Quentin, 30 p.
- (79) **HILLEL, D., GARDNER, W.R., 1970** – Transient infiltration into top-crusted profiles. *Soil Sci.*, 109(2), 69-76.
- (80) **HILLEL, D., 1974** – L'eau et le sol, principes et processus physiques. Vander éd., Louvain, Belgique, 288p.

- (81) **HILLEL, D., 1980a** – Fundamentals of soil physics. Academic Press, New York, 413p.
- (82) **HILLEL, D., 1980b** - Applications of soil physics. Academic Press, New York, 385 p.
- (83) **HOKETT, S.L., CHAPMAN, J.B., CLOUD, S.D., 1992** – Time domain reflectometry response to lateral soil water content heterogeneities. *Soil Sci. Soc. A. J.*, 56 : 313-316.
- (84) **HOLTAN, H.N., 1961** – A concept for infiltration estimates in watershed engineering. *Agr. Res. Serv., U.S. Dep. of Agr.*, Beltsville, Md., Pap. 41-51, p.10-12.
- (85) **HORTON, R.E., 1919** – Rainfall interception. *Monthly Weather Rev.*, n°47, p. 603-623.
- (86) **HORTON, R.E., 1940** – An approach toward a physical interpretation of infiltration-capacity. *Soil Sci. Soc. Am. Proc. N°5*, p.399-417.
- (87) **HUDSON, N.W., 1965** – The influence of rainfall on the mechanisms of soil erosion. M.S. thesis, University of Cape Town.
- (88) **JACKSON, N.A., 2000** – Measured and modelled rainfall interception loss from an agroforestry system in Kenya. *Agricultural and Forest Meteorology*, 1000, p.323-336.
- (89) **JACQUES, G., 1996** – Le cycle de l'eau. Hachette Supérieur, Les Fondamentaux, 157p.
- (90) **JARVIS, N.J., MESSING, I., 1995** – Near-saturated conductivity in soils of contrasting texture measured by tension infiltrometers. *Soil Sci. Soc. Am. J.*, 59, p.27-34.
- (91) **JETTEN, V., DE ROO, A., GUÉRIF, J., 1997** – Sensitivity of the model lisem to variables related to agriculture. Proc. of the 1995 NATO Advanced Research Workshop: GCTE. : Modelling soil erosion by water (J. Boardman, D. Favis-Merlock eds, ), Oxford (UK).
- (92) **KAMPHORST, E. , 2000** – Mesures et méthodes d'estimation de la capacité de stockage d'eau dans le micro-relief créé par les opérations de travail du sol. Thèse de l'INA P-G., 156p.
- (93) **KELLER, 1974** – Chap. XXVII. Hydrologie forestière – évapotranspiration. In : Résumé des cours du 3<sup>ème</sup> cycle en hydrologie opérationnelle et appliquée, 1974. Ecole Polytechnique de Lausanne.
- (94) **KING, C., 2000** – Response of the Green-Ampt Mein-Larsen simulated runoff volumes to temporally aggregated precipitation. *Journal of the American Water Resources Association*, vol.36, No.4, p.791-797.
- (95) **KING, C., 2001** – Etats de surface, ruissellement, érosion : vers l'assimilation de paramètres issus de télédétection dans les modèles. *Journées Hydrologie spatiale*, Toulouse, mars 2001, 9p.
- (96) **KINNELL, P.I.A., 1973** – The problem of assessing the erosive power of rainfall from meteorological observations. *Soil Sci. Soc. Am. Proc.*, 37, p.617-621.
- (97) **KINNELL, P.I.A., 1981** – Rainfall intensity-kinetic energy relationships for soil loss prediction. *Soil Sci. Soc. Am. J.*, 45, p.153-155.
- (98) **KOSTIAKOV, A.N., 1932** – On the dynamics of the coefficient of water-percolation in soils and on the necessity of studying it from a dynamic point of view for purposes of amelioration. *Trans. Com. Int. Soc. Soil Sci.*, 6<sup>th</sup>, Moscow. Part A, p.17-21.
- (99) **LAFOLIE, F., BRUCKLER, L., TARDIEU, F., 1991** – Modeling root water potential and soil-root water transport : II. Field comparisons. *Soil Sci. Soc. Am. J.*, 55 : 1213-1220.
- (100) **LANKREIJER, H.J.M., HENDRICKS, M.J., KLAASSEN, W., 1993** – A comparison of models simulating rainfall interception of forests. *Agricultural and Forest Meteorology*, 64, 187-199.
- (101) **LE BISSONNAIS, Y., BENKHADRA, H., CHAPLOT, V., FOX, D., KING, D., DAROUSSIN, J., 1998** – Crusting, runoff and sheet erosion on silty loamy soils at various scales and upscaling from m<sup>2</sup> to small catchments. *Soil and Tillage Research*, 46, p.69-80.
- (102) **LE BISSONNAIS, Y., MARTIN, P., 1999** – Etat de surface et dynamique du ruissellement et de l'érosion diffuse : trajectoire d'état et transfert d'échelle. Proposition de plan d'article pour le compte-rendu AIP ECOSPACE.

- (103) **LEONARD, R.E., 1967** – Mathematical theory of interception. Forest Hydrology, Eds W.E. Sopper & H.W. Lull, Pergamon, Oxford, p.131-136.
- (104) **LINDEN, D.R., 1979** – A model to predict soil water storage as affected by tillage practices. Ph.D. Thesis, Univ. Of Minnesota, St. Paul, MN.
- (105) **LINSLEY, R.K., KOHLER, M.A., PAULHUS, J.L.H., 1949** – ‘Applied hydrology’ (McGraw-Hill : New-York).
- (106) **LOCH, R.J., CONNOLLY, R.D., LITTLEBOY, M., 2000** – Using rainfall simulation to guide planning and management of rehabilitated areas : part II. Computer simulations using parameters from rainfall simulation. Land Degradation and Development, 11, p.241-255.
- (107) **LORENS, P., POCH, R., LATRON, J., GALLART, F., 1997** – Rainfall interception by a *Pinus sylvestris* forest patch overgrown in a Mediterranean mountainous abandoned area. I. Monitoring design and results down to the event scale. Journal of hydrology, 199, p.331-345.
- (108) **MAC GREGOR, K.C., MUTCHLER, C.K., 1976** – Status of the R factor in Northern Mississippi. Soil Erosion : Prediction and Control, Soil Conservation Soc. Amer., p.135-142.
- (109) **MAC MILLAN, W.D., BURGY, R.H., 1960** – J. Geophys. Res., 65, p.2389-2394.
- (110) **MAGUNDA, M.K., LARSON, W.E., LINDEN, D.R., NATER, E.A., 1997** – Changes in microrelief and their effects on infiltration and erosion during simulated rainfall. Soil Technology, no.10, p.57-67.
- (111) **MAHOO, H., GOWING, J.W., HATIBU, N., KAYOMBO, B., USSIRI, D.A.N., WYSEURE, G.C.L., YOUNG, M.D.B., 1995** – A rainfall-runoff model for rain water harvesting design in Tanzania: comparison and validation of an empirical and a physical model. (THIRST, PARCHED THIRST) SACCAR-Newsletter.1995, No. 32, 1-9; 7 ref.
- (112) **MANIAK, U., 1982** – Rainfall-runoff processes. Proc. Symp. Research Basins Sonderh. Landeshydrologie, Bern, p.433-456.
- (113) **MAHFOUF, J.-F., JACQUEMIN, B., 1989** – A study of rainfall interception using a land parametrization for mesoscale meteorological models. Journal of Applied Meteorology, vol. 28, p.1282-1302.
- (114) **MEIN, R. G., FARRELL, D. A., 1974** – Determination of wetting front succion in the Green and Ampt equation. Soil Sci. Soc. Amer. Proc., vol. 38, p.872-876.
- (115) **MEIN, R.G., LARSON C.L., 1973** – Modeling infiltration duraing a steady rain. Water Resources Research, vol. 9, n°2, p.384-394.
- (116) **MERRIAM, R.A., 1960** – A note on the interception loss equation. J. Geophys. Res., 65 : 3850-3851.
- (117) **MICHELIN, J., BOURGEOIS, S., WIART, J., BERMOND, A., 2001** – Bilan dans un sol agricole suite à des apports réguliers depuis 1985. In : Les éléments traces métalliques dans les sols. Approches spatiales et fonctionnelles, INRA Editions.
- (118) **MISSION DELEGUEE DE BASSIN SEINE NORMANDIE, AGENCE FINANCIERE DE BASSIN SEINE NORMANDIE, 1976** – les bassins de la Seine et des cours d'eau normands. Tome 1. Ressources d'eau et données hydrologiques. Fascicule 6. Hydrologie générale et conclusions. 128p.
- (119) **MOHAMOUD, Y.M., 1991** – Evaluating the Green and Ampt infiltration parameter values for tilled and crusted soils. J. of Hydrol., 123, p.25-38.
- (120) **MOHANTY, B.P., 1999** – Scaling hydraulic properties of a macroporous soil. Water Res. Res., vol.35, no.6, p.1927-1931.
- (121) **MONTEITH, J.L., 1963** – In « The Water Relations of Plants », A.J. rutter and F.H. Whitehead (eds.), Blackwell, Oxford, p.37-56.
- (122) **MONTEITH, J.L., 1965** – Evaporation and environment. Proc. Symp. Soc. Exp. Biol., no.19 , p.205-234.

- (123) **MONTEITH, J.L., 1965b** – In « The State and Movement of Water in Living Organisms », G.E. Fogg (ed.), Soc. Exp. Biol. Symp., Cambridge University Press, vol.19, p.205-234.
- (124) **MOORE, I.D., LARSON, C.L., 1979** – Estimating micro-relief surface storage from point data. Transactions of the ASAE, p.1073-1077.
- (125) **MOORE, I.D., 1981** – Effect of surface sealing on infiltration. Transactions of the ASAE, 24(6), p. 1546-1552 & 1561.
- (126) **MOORE, I.D., 1981b** – Infiltration equations modified for surface effects. Journal of the Irrigation Division, Trans. ASAE, 107(IR1), p.71-79.
- (127) **MOREL-SEYTOUX, H., MEYER, P.D., NACHABE, M., TOUMA, J., VAN GENUCHTEN, M.T., LENHARD, R.J., 1996** – Parameter equivalence for the Brooks-Corey and van Genuchten soil characteristics : preserving the effective capillary drive. Water Resour. Res., vol. 32 , no. 5 , p. 1251-1258
- (128) **MORIN, J., BENYAMINI, Y., 1977** – Rainfall infiltration into bare soils. Water Res. Res., vol.13, no.5, p.813-817.
- (129) **MUALEM, Y., ASSOULINE, S., 1986** – Mathematical model for rain drop distribution and rainfall kinetic energy. Transactions of the ASAE, p.494-500.
- (130) **MUALEM, Y., ASSOULINE, S., ROHDENBURG, H., 1990a** – Rainfall induced soil seal. (A) A critical review of observations and models. Catena, vol.17, p.185-203.
- (131) **MUALEM, Y., ASSOULINE, S., ROHDENBURG, H., 1990b** – Rainfall induced soil seal. (B) Application of a new model to saturated soils. Catena, vol.17, p.205-218.
- (132) **MUALEM, Y., ASSOULINE, S., ROHDENBURG, H., 1990c** – Rainfall induced soil seal. (C) A dynamic model with kinetic energy instead of cumulative rainfall as independant variable. Catena, vol.17, p.289-303.
- (133) **MWENDERA, E.J., FEYEN, J., 1992** – Estimation of depression storage and Manning's resistance coefficient from random roughness measurments. Geoderma, 52, p.235-250.
- (134) **NEUMAN, S.P., 1976** – Wetting front pressure head in the infiltration model of Green and Ampt. Water Res. Res., vol.12, no.3, p.564-566.
- (135) **NICKS, A.D., 1995** – Generation of climate data . In : D.G. DeCoursey (Ed.), Proc. of the Natural Resources Modeling Symp., Pingree Park, CO, October 16-21 1983, USDA, ARS, ARS-30.
- (136) **NICKS, A.D., LANE, L.J., GANDER, G.A., 1995** – Chapter 2. Weather generator. In : USDA-Water Erosion Prediction Project, Hillslope Profile and Watershed Model Documentation, NSERL Report no.10, July 1995.
- (137) **NILSON, T., 1971** – A theoretical analysis of the frequency of gaps in plant stands. Agric. For. Meteor., n°8, p.25-38.
- (138) **NISSEN, H.H., MOLDRUP, P., 1994** – Theoretical background for the TDR methodology. In : Proceedings of the Symposium : Time domain reflectometry applications in soil science, Research Center Foulum, September 16, 1994, p.9-23.
- (139) **NORMAN, J. H., CAMPBELL, G., 1983** – Application of a plant-environment model to problems in irrigation. Advances in Irrigation, vol.2, p.155-189.
- (140) **NOVAK, V., SIMUNEK, J., VAN GENUCHTEN, M.Th., 2000** – Infiltration of water into soil with cracks. J. of Irr. And Drain. Eng., 126, 1, p.41-47.
- (141) **ONSTAD, C.A., WOLFE, M.L., LARSON, C.L., SLACK, D.C., 1984** – Tilled soil subsidence during repeated wetting. Trans. ASAE, p.733-736.
- (142) **ONSTAD, C.A., 1984** – Depressional storage of tilled soil surfaces. Transactions of the ASAE, 27, p.729-732.
- (143) **PANINI, T., TORRI, D., PELLEGRINI, S., PAGLIAI, M., SALVADOR SANCHIS, M.P., 1997** – A theoretical approach to soil porosity and sealing development using simulated rainstorms. Catena, 31, p.199-218.
- (144) **PARKIN, T.B., CODLING, E.E., 1990** – Rainfall distribution under a corn canopy : implications for managing agrochemicals. Agronomy Journal, 82 : p.1166-1169.

- (145) **PENMAN, H.L., 1963** - Vegetation and hydrology. Technical communication n°53, Commonwealth Bureau of Soils Harpenden, England.
- (146) **PERRIER, A., 1973** - Bilan hydrique de l'assolement blé-jachère et évaporation d'un sol nu en région aride. Réponse des plantes aux facteurs climatiques, UNESCO, Uppsalla (SWE), 1970/09/15-20, Paris, p.477-487.
- (147) **PERRIER, A., 1982** – Land surface processus : vegetation. In : ed. by P.SP, Eagleson, Land surface Processes in atmospheric general circulation models. World Meteorological Organization, Genève (CHE), Greenbelt (USA), 1981/01/05-10. Cambridge University Press, p.395-448.
- (148) **PERRIER, A., 1996** – Cours de 1ère année de l'INA P-G.
- (149) **PERSSON, M., BERNDTSSON, R., 1998** – Texture and electrical conductivity effects on temperature dependancy in time domain reflectometry. Soil Sci. Soc. Am. J., 62 : 887-893.
- (150) **PERSONNE, E., 1995** – Elaboration d'un compartiment sol multicouche dans un modèle de bilan hydrique agropédoclimatique. Mémoire de DEA – INA P-G, Univ. Paris VI & ENS, 42 p.
- (151) **PERSONNE, E., 1998** – Modélisation de la variabilité spatio-temporelle du continuum sol-plante-atmosphère. Cas des couverts bistrates hétérogènes et épars. Thèse de l'INA P-G, 170 p. + annexes.
- (152) **PHILIP, J.R., 1998** – Infiltration into crusted soils. Water Resources Research, Vol.34, No.8, p.1919-1927.
- (153) **POTTER, K.N., 1990** – Soil properties effect on random roughness decay by rainfall. Tans. ASAE, 33, p.1889-1892.
- (154) **PRATHAPAR, S. A., MEYER, W. S., BAILEY, M. A., POULTON, D. C., 1996** – A soil water and groundwater SIMulation model: SWAGSIM. Environmental Software, 11(1-3):151-158.
- (155) **PRATHAPAR, S.A., 1997** – Application of a soil water and groundwater simulation (SWAGSIM) model to the Mead Ridge Drainage Catchment. In Murray-Darling Basin Commission, Role of computer modelling in the development and implementation of land and water management plans for irrigated catchments. Canberra, Australia: Murray-Darling Basin Commission. Natural Resources Management Strategy – Drainage Program. pp.77-79.
- (156) **QUETIN, P., ALSON, L., GAILLARD, H., 1998** – Détermination de la courbe de rétention en eau  $h(\theta)$  et de la conductivité hydraulique en condition non saturée  $K(h)$  ou  $K(\theta)$  – méthode par évaporation (méthode WIND). Fiche de protocole, INRA Orléans, Unité de Science du Sol, SESCPF, 4p.
- (157) **RAVI, V., 1998** – Estimation of infiltration in the vadose zone : compilation of simple mathematical models. Volume I. Rapport EPA/R-97/128a, February 1998, 26p.+ bibliographie annotée (53p.)
- (158) **RAWLS, W.J., BRAKENSIEK, D.L., 1983** – A procedure to predict Green and Ampt infiltration parameters. In : Proceedings of ASAE Conference on Advances in Infiltration, Chicago, IL., ASAE, St. Joseph, MI, p.102-112.
- (159) **RAWLS, W.J., BRAKENSIEK, D.L., SIMANTON, J.R., KOHL, K.D., 1990** – Development of a crust factor for the Green-Ampt model. Tans. ASAE, 33(4) : 1224-1228.
- (160) **RAWLS, W.J., AHUJA, L.R., BRAKENSIEK, D.L., 1992** – Estimating soil hydraulic properties from soil data. In : Indirect methods for estimating hydraulic properties of unsaturated soils. M. th. Van Genuchten, F.J. Leij, and L.J. Lund (eds.) U.C. Riverside Press, Riverside, CA.
- (161) **RAWLS, W.J., BRAKENSIEK, D.L., ONSTAD, C.A., 1995** – Seasonal variation of agricultural practices on infiltration. Proceeings of the 2<sup>nd</sup> International Symposium on Sealing, Crusting and Hardsetting Soils : Productivity and Conservation, University of

- Queensland, Brisbane, Australia, Ed. H.B. So, G.D. Smith, S.R. Raine, B.M. Schafer and R.J. Loch, Australien Society of Soil Science Inc., p.223-228.
- (162) **REFES, M., 1997** – Le ruissellement à l'échelle de la parcelle agricole : influence de l'état hydrique et de l'état de surface. Mémoire de DEA, Univ. Paris VI, 51 p. + annexes.
- (163) **RISSE, L.M., 1994** –
- (164) **RISSE, L.M., NEARING, M.A., ZHANG, XC., 1995** – Variability in Green-Ampt effective hydraulic conductivity under fallow conditions. *Journal of Hydrology*, 169, p.1-24.
- (165) **ROOSE, E., 1977** – Erosion et ruissellement en Afrique de l'Ouest. Vingt années de mesures en petites parcelles expérimentales. *Travaux et documents de l'ORSTOM*, no.78.
- (166) **ROSEWELL, C.J., 1986** – Rainfall kinetic energy in Eastern Australia. *American Meteorological Society*, p.1695-1701.
- (167) **ROSNOBLET, J., 1998** – Importance de la prise en compte de l'infiltration et du ruissellement pour le suivi du bilan hydrique. Rapport de DEA, INRA, INA P-G, Univ. Paris VI & ENS, 49p. + annexes.
- (168) **ROSS, P.J., 1990** - SWIM, a simulation model for soil water infiltration and movement. Reference manual. CSIRO Division of Soils, davies Laboratory, Townsville, Australia, 37p.
- (169) **ROSS, P.J., SMETTEM , K.R.J., 1993** – Describing soil hydraulic properties with sums of simple functions. *Soil Sci. Soc. Am. J.*, no.57, p.26-29.
- (170) **RUGET, F., BONHOMME, R., CHARTIER, M., 1996** – Estimation simple de la surface foliaire de plantes de maïs en croissance. *Agronomie*, 16, p.553-562.
- (171) **RUTTER, A. J., KERSHAW K. A., ROBINS P. C., MORTON A. J., 1972** – A predictive model of rainfall interception. *Agric. Meteorol.*, 9 (5/6), p.367-384.
- (172) **RUTTER, A.J., 1967** – In « Forest Hydrology », W.E. Sopper and H.W. Lull, eds., Pergamon Press, Oxford, p.403-417.
- (173) **RUTTER, A.J., KERSHAW, K.A., ROBINS, P.C., MORTON, A.J., 1971** – A predictive model of rainfall interception in forests. I. Derivation of the model from observations in a plantation of corsican pine. *Agric. Meteorol.*, 9, p.367-384.
- (174) **RUTTER, A. J., 1975** – The hydrological cycle in vegetation. *Vegetation and the atmosphere*, vol. 1, principles, ed. MONTEITH J. L., Academic Press, London, p. 111-154.
- (175) **RUTTER, A.J., MORTON, A.J., ROBINS, P.C., 1975** – A predictive model of rainfall interception in forests. II. Generalization of the model and comparison with observations in some coniferous and hardwood stands. *J. Appl. Ecol.*, 12, p.367-380.
- (176) **RUY, S., DI PIETRO, L., CABIDOCHÉ, Y.M., 1999** – Numerical modeling of water infiltration into the three components of porosity of a vertisol from Guadeloupe. *J. of Hydrol.*, 221, p.1-19.
- (177) **SCHULZE, R.E., 1989** – ACRU: background, concepts and theory. Report 35, Agricultural Catchments Research Unit, Department of Agricultural Engineering, University of Natal, Pietermaritzburg, South Africa.
- (178) **SCHULZE, R. E., Ed., 1994** – Hydrology and agrohydrology : a text to accompany the ACRU-300 agrohydrological modelling system. Agricultural Catchments Research Unit, Department of Agricultural Engineering, University of Natal.
- (179) **SEINFELD, J.H., PANDIS, S.N., 1995** – Atmospheric chemistry and physics. From air pollution to climate change. A Wiley Interscience Publication, John Wiley & Sons, Inc., USA, 1326p.
- (180) **SHARMA, P.P., GANTZER, C.J., BLAKE, G.R., 1981** – Hydraulic gradients accross simulated rain-formed soil surface seals. *Soil Sci. Soc. Am. J.*, 45 : 1031-1034.
- (181) **SIDIRAS, N., ROTH, C.H., 1987** – Infiltration measurements with double-ring infiltrometers and a rainfall simulator under different surface conditions on an oxisol. *Soil & Tillage Research*, 9, p.161-168.

- (182) **SMITH, D.D., WISCHMEIER, W.H., 1958** – Rainfall energyand its relationship to soil loss. Transactions American Geophysical Union, vol.32, p.285-291.
- (183) **SOIL MOISTURE EQUIPMENT CORP., 1993** – Notice d'utilisation, Trase System 1, 52p.
- (184) **SOIL MOISTURE EQUIPMENT CORP., 1998** – Trase 2100 Command protocol, 32p.
- (185) **SOUCHERE, V., KING, D., DAROUSSIN, J., PAPY, F., CAPILLON, A., 1998** – Effects of tillage on runoff directions : consequence on runoff contributing area within agricultural catchments. *J. of Hydrol.*, vol.206, issue 3-4, p.256-267.
- (186) **TAKAGI, S., 1960** – Analysis of the vertical downward flow of water through a two-layer soil. *Soil Sci.*, no.90, p.98-103.
- (187) **TARDIEU, F., KATERJI, N., BETHENOD, O., 1990** – Relation entre l'état hydrique du sol, le potentiel de base et d'autres indicateurs de la contrainte hydrique chez le maïs – *Agronomie*, n°10, p. 617-626.
- (188) **TOPP, G.C., DAVIS, J.L., ANNAN, A.P., 1980** – Electromagnetic determination of soil water content : measurements in coaxial transmision lines. *Water Res. Res.*, 16(3), 574-582.
- (189) **TORRI, D., REGÜÉS, D., PELLEGRINI, S., BAZZOFFI, P., 1999** – Within-storm soil surface dynamics and erosive effects of rainstorms. *Catena*, 38, p.131-150.
- (190) **TUZET, A., PERRIER, A., MASAAD, C., 1992** – Crop water budget estimation for irrigation requirements. *ICID Bulletin*, vol. 41, n°2.
- (191) **UIJLENHOET, R., STRICKER, J.N.M., 1999** – A consistent rainfall parametrization based on the exponential raindrop size distribution. *J. of hydrol.*, 218, p.101-127.
- (192) **VALENTE, F., DAVID, J.S., GASH, J., 1997** – Modeling interception loss from two sdparse eucalypt and pine forests in Central Portugal using reformulated Rutter and Gash analytica models. *J. Hydrol.*, 190, p.141-162.
- (193) **VANDERVAERE, J.P., VAUCLIN, M., HAVERKAMP, R., PEUGEOT, C., THONY, J.-L., GILFEDDER, M., 1998** – Prediction of crust-induced runoff with disc infiltrometer data. *Soil Science*, 163, 1, p.9-21.
- (194) **VAN DIJK, A.I.J.M., BRUIJNZEEL, L.A., 2001a** – Modelling rainfall interception by vegetation of variable density using an adapted analytical model. Part 1. Model description. *J. Hydrol.*, 247, p.230-238.
- (195) **VAN DIJK, A.I.J.M., BRUIJNZEEL, L.A., 2001b** – Modelling rainfall interception by vegetation of variable density using an adapted analytical model. Part 2. Model validation for a tropical upland mixed cropping system. *J. Hydrol.*, 247, p.239-262.
- (196) **VAUCLIN, M., HAVERKAMP, R., VACHAUD, G., 1979** – Résolution numérique d'une équation de diffusion non linéaire. Application à l'infiltration de l'eau dans les sols non saturés. Presses universitaires de Grenoble, 183p.
- (197) **VON HOYNINGEN-HUENE, J., 1981** - Die Interzeption des Niederschlags in landwirtschaftlichen Pflanzenbeständen. *Arbeitsbericht Deutscher Verband für Wasserwirtschaft und Kulturbau*, DVWK, Braunschweig, p.63.
- (198) **WAGGONER, P.E., BEGG, J.E., TURNER, N.C., 1969** – Agric. Met., 6, p.227-230.
- (199) **WALLIN, J.R., 1967** – Agric. Met., 4, p.85-102.
- (200) **WISCHMEIER, W.H., 1959** - A rainfall erosion index for a universal soil loss equation. *Soil Science Society of America Proceedings*, vol.23, no.3, p.246-249.
- (201) **WISCHMEIER, W.H., 1966** – Surface runoff in relation to physical and management factors. In Proc. First Pan Am . Soli Conserv. Congress, p.237-244. Sao Paulo, Brazil : O Congresso.
- (202) **YOUNG, M.D.B., GOWING, J.W., 1996** – The PARCHED-THIRST model user guide. University of Newcastle upon Tyne, UK. 109pp.
- (203) **YOUNGS, E.G., 1974** – The use of the Green and Ampt approach in soil-water movement studies. *Agrochemica*, XVIII, no.3, p.231-239.

- (204) **YU, C., WARRICK, A.W., CONKLIN, M.H., 1999** – Derived functions for time domain reflectometry for soil moisture measurement. Water Res. Res., vol.35, no.6, p.1789-1796.
- (205) **ZASLAVSKI, D., 1964** – Theory of unsaturated flow into a non-uniform soil profile. Soil Sci., no.97, p.400-410.
- (206) **ZHANG, X.C., NEARING, M.A., RISSE, L.M., 1995a** – Estimation of Green-Ampt conductivity parameters. Part I. Row crops. Transactions of ASAE, vol. 38(4) : p.1069-1077.
- (207) **ZHANG, X.C., NEARING, M.A., RISSE, L.M., 1995b** – Estimation of Green-Ampt conductivity parameters. Part II. Perennial crops. Transactions of ASAE, vol. 38(4) : p.1079-1087
- (208) **ZOBECK, T.M., ONSTAD, C.A., 1987** – Tillage and rainfall effects on random roughness : a review. Soil and Tillage Research, 9, p.1-20.

