



**HAL**  
open science

**Dynamique de la matière organique à l'échelle d'un  
terroir agro-pastoral de savane ouest-africaine  
(sud-Sénégal)**

Raphaël J. Manlay

► **To cite this version:**

Raphaël J. Manlay. Dynamique de la matière organique à l'échelle d'un terroir agro-pastoral de savane ouest-africaine (sud-Sénégal). Sciences de la Terre. ENGREF (AgroParisTech), 2000. Français. NNT : 2000ENGR0062 . tel-00005770v1

**HAL Id: tel-00005770**

**<https://pastel.hal.science/tel-00005770v1>**

Submitted on 5 Apr 2004 (v1), last revised 2 Apr 2024 (v2)

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## REFERENCES

- Abbadie L., Mariotti A., Menaut J.-C., 1992. Independence of savanna grasses from soil organic matter for their nitrogen supply. *Ecology* **73** (2), 608-613.
- Achard F., Banoin M., Bartholmey C., 2000. Gestion de la fumure animale dans un terroir du sud-ouest du Niger. In: Dugué P. (Ed.) *Fertilité et relations agriculture-élevage en zone de savane*, Montpellier, France, 5-6/05/1998. Centre International de Recherche pour le Développement, pp. 97-106.
- Achterstraat A., 1983. *Agriculture d'autosubsistance ou agriculture de rente ? La prise de décision des paysans entre différentes cultures, et l'impact de l'intervention de la SODEFITEX et de la culture cotonnière sur les sociétés Peul en Haute-Casamance. L'exemple de Lengouval*. Inst. of Cult. Anthr., Free University, Amsterdam, Netherlands.
- Adams J., 1997. *Estimates of preanthropogenic carbon storage in global ecosystem types*. Oak Ridge National Laboratory, USA, [<http://www.esd.ornl.gov/projects/qen/carbon3.html>].
- Aina P.O., 1979. Soil changes resulting from long-term management practices in Western Nigeria. *Soil Science Society of America Journal* **43**, 173-177.
- Akpo L.E., 1998. *Effet de l'arbre sur la végétation herbacée dans quelques phytocénoses au Sénégal. Variations selon un gradient climatique*. PhD Thesis, Univ. Cheikh Anta Diop, Dakar, 135 p.
- Alexandre D.-Y., Kairé M., 2000. Les productions des jachères soudaniennes (bois et produits divers). In: Floret C., Pontanier R. (Eds.), *La Jachère en Afrique Tropicale -Vol II. De la Jachère Naturelle à la Jachère Améliorée: Le Point des Connaissances*, Dakar, Senegal, 13-16/04/1999. John Libbey, Paris, in press.
- Allen-Diaz B., Chapin F.S., Diaz S., Howden M., Puigdefabregas J., Stafford Smith M., 1996. Rangelands in a changing climate: impacts, adaptations, and mitigation. In: Watson R.T., Zinoywera M.C., Moss R.H. (Eds.), *Climate Change 1995. Impacts, Adaptations and Mitigation of Climate Change: Scientific-Technical Analysis*. Cambridge University Press, New York, pp. 131-158.
- Almasie A., 1996. *Results of a literature study on the relation between soil characteristics (especially organic matter) and crop yield in tropical regions*. Centre International de Recherche Agronomique pour le Développement (CIRAD) - Wageningen Agricultural University (WAU), Montpellier.
- Aman S., Depatie S., Furlan V., Lemieux G., accepted. Effects of chopped twig wood (CTW) on maize growth and yields in the forest-savanna transition zone of Ivory Coast. *Tropical Agriculture*.
- Anderson D.W., 1995. The role of nonliving organic matter in soils. In: Zepp R.G., Sonntag C. (Eds.), *Role of Non Living Organic Matter in the Earth's Carbon Cycle*. John Wiley & Sons Ltd, pp. 81-92.
- Anderson J.M., Spencer T., 1991. *Carbon, Nutrient and Water Balances of Tropical Rain Forest Ecosystems Subject to Disturbance*. MAB Digest, Vol. 7. UNESCO, Paris, 95 p.

- Areola O., Aweto A.O., Gbadegesin A.S., 1982. Organic matter and soil fertility restoration in forest and savanna fallows in South Western Nigeria. *GeoJournal* **6** (2), 183-192.
- Aronson J., Floret C., Le Floc'h E., Ovalle C., Pontanier R., 1993. Restoration and rehabilitation of degraded ecosystems in arid and semi-arid lands. I. A view from the South. *Restoration Ecology* **1** (1), 8-17.
- Asadu C.L.A., Diels J., Vanlauwe B., 1997. A comparison of the contributions of clay, silt, and organic matter to the effective CEC of soils of sub-Saharan Africa. *Soil Science* **162** (11), 785-794.
- Azontonde A., Feller C., Ganry F., Remy J.-C., 1998. Le mucuna et la restauration des propriétés d'un sol ferrallitique au sud du Bénin. *Agriculture et Développement* **18**, 55-62.
- Bacýé B., 1993. *Influence des systèmes de culture sur l'évolution du statut organique et minéral des sols ferrugineux et hydromorphes de la zone soudano-sabélienne (Province du Yatenga, Burkina Faso)*. PhD Thesis, Univ. d'Aix-Marseille III, Marseille, 218 p.
- Baldensperger J., Staimesse J.P., Tobias C., 1967. *Notice Explicative de la Carte Pédologique du Sénégal au 1/200000 - Moyenne Casamance*. ORSTOM, Dakar, 134 p.
- Bationo A., Lompo F., Koala S., 1998. Research on nutrient flows and balances in West Africa: state-of-the-art. *Agriculture Ecosystems & Environment* **71** (1-3), 19-35.
- Bationo A., Mkwunye U., 1991. Role of manures and crop residue in alleviating soil fertility constraints to crop production: with special reference to the Sahelian and Sudanian zones of West Africa. In: Mkwunye U. (Ed.) *Alleviating Soil Fertility Constraints to Increased Crop Production in West Africa*. Kluwer Academic Pub., pp. 217-225.
- Bazile D., 1998. *Les gestions des espèces ligneuses dans l'approvisionnement en énergie des populations. Cas de la zone soudanienne du Mali*. PhD Thesis, Université de Toulouse le Mirail, Toulouse, 452 p.
- Bebwa B., Lejoly J., 1993. Soil organic matter dynamics and mineral nutrients content in a traditional fallow system in Zaire. In: Mulongoy K., Merckx R. (Eds.), *Soil Organic Matter Dynamics and Sustainability of Tropical Agriculture. Proceedings of an International Symposium*, Leuven, Belgium, 4-6/11/1991. John Wiley & Sons, pp. 135-142.
- Begon M., Harper J.L., Townsend C.R.L., 1998. *Ecology: Individuals, Populations and Communities*. 3/Ed. Blackwell Scientific Publications, Oxford, U.K., 1068 p.
- Bekunda M.A., Bationo A., Ssali H., 1997. Soil fertility management in Africa: a review of selected research trials. In: *Replenishing Soil Fertility in Africa*. American Society of Agronomy and Soil Science Society of America, Madison, pp. 63-79.
- Bekunda M.A., Woomer P.L., 1996. Organic resource management in banana-based cropping systems of the Lake Victoria Basin, Uganda. *Agriculture Ecosystems & Environment* **59** (3), 171-180.

- Berger M., 1996. Fumure organique: des techniques améliorées pour une agriculture durable. *Agriculture et Développement* **10**, 37-46.
- Bertrand A., 1977. Les problèmes du bois de chauffage et du charbon de bois en Afrique tropicale. *Bois et Forêts des Tropiques* **173**, 39-48.
- Bertrand R., 1998. *Du Sabel à la Forêt Tropicale. Clés de Lecture des Sols dans les Paysages Ouest-Africains*. Repères. CIRAD, Montpellier, 272 p.
- Black H.I.J., Okwakol M.J.N., 1997. Agricultural intensification, soil biodiversity and agroecosystem function in the tropics: The role of termites. *Applied Soil Ecology* **6** (1), 37-53.
- Blanfort V., 1991. *Phytosociologie et production de la végétation des parcours d'une petite région agropastorale de Moyenne-Casamance (Sénégal)*. Master's Thesis, INA-PG - Univ. Paris XI et Paris VI, Paris, 127 p.
- Bockstaller C., Girardin P., van der Werf H.M.G., 1997. Use of agro-ecological indicators for the evaluation of farming systems. *European Journal of Agronomy* **7** (1-3), 261-270.
- Bohringer A., Leihner D.E., Bocker R., 1996. Shoot biomass of natural stump regrowth in cropping systems in the subhumid forest savanna mosaic zone of West Africa. *Tropenlandwirt* **97** (2), 225-239.
- Bonneau M., Souchier B., 1994. *Pédologie. 2. Constituants et propriétés du sol. 2/Ed. Masson, Paris, 665 p.*
- Boserup E., 1978. *Evolution agraire et pression démographique*. Flammarion, Paris, 250 p.
- Bosma R.H., Bos M., Kante S., Kebe D., Quak W., 1999. The promising impact of ley introduction and herd expansion on soil organic matter content in southern Mali. *Agricultural Systems* **62** (1), 1-15.
- Brams E.A., 1971. Continuous cultivation of West African soils: organic matter diminution and effects of applied lime and phosphorus. *Plant and Soil* **35**, 401-474.
- Brand J., Pfund J.L., 1998. Site and watershed-level assessment of nutrient dynamics under shifting cultivation in eastern Madagascar. *Agriculture Ecosystems & Environment* **71** (1-3), 169-183.
- Breman H., Kessler J.J., 1995. *Woody Plants in Agro-Ecosystems of Semi-Arid Regions*. Advanced Series in Agricultural Sciences, Vol. 23. Springer-Verlag, Berlin Heidelberg, 340 p.
- Brouwer J., Powell J.M., 1998. Increasing nutrient use efficiency in West-African agriculture: The impact of micro-topography on nutrient leaching from cattle and sheep manure. *Agriculture Ecosystems & Environment* **71** (1-3), 229-239.
- Brown H.C.P., Thomas V.G., 1990. Ecological considerations for the future of food security in Africa. In: Edwards C.A., Lal R., Madden P., Miller R.H., House G. (Eds.), *Sustainable Agricultural Systems*. Soil and Water Conservation Society, Ankeny, pp. 353-377.

- Brown S., Anderson J.M., Woomer P.L., Swift M.J., Barrios E., 1994. Soil biological processes in tropical ecosystems. In: Woomer P.L., Swift M.J. (Eds.), *The Biological Management of Tropical Soil Fertility*. John Wiley & Sons, Chichester, pp. 15-46.
- Brown S., Lugo A.E., 1990. Tropical secondary forests. *Journal of Tropical Ecology* **6** (1), 1-32.
- Buerkert A., Hiernaux P., 1998. Nutrients in the West African Sudano-Sahelian zone: losses, transfers and role of external inputs. *Zeitschrift Fur Pflanzenernährung und Bodenkunde* **161** (4), 365-383.
- Buerkert A., Lamers J.P.A., Schmelzer G.H., Becker K., Marschner H., 1997. Phosphorus and millet crop residue application affect the quantity and quality of millet leaves and fodder weeds for ruminants in agro-pastoral systems of the Sahel. *Experimental Agriculture* **33** (3), 253-263.
- Cao M.K., Woodward F.I., 1998. Net primary and ecosystem production and carbon stocks of terrestrial ecosystems and their responses to climate change. *Global Change Biology* **4** (2), 185-198.
- Catinot R., 1994. Aménager les savanes boisées africaines. *Bois et Forêts des Tropiques* **241**, 53-69.
- César J., 1992. *La production biologique des savanes de Côte d'Ivoire et son utilisation par l'homme*. PhD Thesis, Université de Paris VI, Maison Alfort, 671 p.
- César J., Coulibaly Z., 1993. Conséquence de l'accroissement démographique sur la qualité de la jachère dans le Nord de la Côte d'Ivoire. In: Floret C., Serpantié G. (Eds.), *La Jachère en Afrique de l'Ouest. Atelier International*, Montpellier, France, 2-5/12/1991. ORSTOM, pp. 415-434.
- Charreau C., Nicou R., 1971. L'amélioration du profil cultural dans les sols sableux et sablo-argileux de la zone tropicale sèche ouest-africaine et ses incidences agronomiques - III. Les facteurs biologiques: faune et végétation et leur influence sur le profil cultural et la productivité agricole. *L'Agronomie Tropicale* **26** (5), 565-631.
- Chopart J.L., 1980. *Etude au champ des systèmes racinaires des principales cultures pluviales au Sénégal (arachide, mil, sorgho, riz pluvial)*. PhD Thesis, Institut National Polytechnique, Toulouse, 159 p.
- Chotte J.-L., Blanchart E., Lavelle P., 1995. Gestion durable des terres en milieu tropical. Régulation biologique des processus de décomposition de la matière organique. In: Ganry F., Campbell B. (Eds.), *Sustainable Land Management in African Semi-Arid and Subhumid Regions. Proceedings of the SCOPE Workshop*, Dakar, Sénégal, 15-19/11/1993. CIRAD, pp. 89-97.
- Cole V., Cerri C., Minami K., Mosier A., Rosenberg N., Sauerbeck D., 1996. Agricultural options for mitigation of greenhouse gas emissions. In: Watson R.T., Zinoywera M.C., Moss R.H. (Eds.), *Climate Change 1995. Impacts, Adaptations and Mitigation of Climate Change: Scientific-Technical Analysis*. Cambridge University Press, New York, pp. 745-771.
- Coleman D.C., Oades J.M., Uehara G., 1989. Soil organic matter: tropical vs. temperate. In: Coleman D.C., Oades J.M., Uehara G. (Eds.), *Dynamics of Soil Organic Matter in Tropical Ecosystems*. Nifal Project, Univ. of Hawaii, pp. 1-4.

- Costanza R., d'Arge R., de Groot R., Farber S., Grasso M., Hannon B., Limburg K., Naeem S., O'Neill R.V., Paruelo J., Raskin R.G., Sutton P., van den Belt M., 1997. The value of the world's ecosystem services and natural capital. *Nature* **387**, 253-260.
- Coulomb J., 1976. La race N'Dama. Quelques caractéristiques zootechniques. *Revue d'Elevage et de Médecine Vétérinaire des Pays Tropicaux* **29** (4), 367-380.
- Coulomb J., Serres H., Tacher G., 1980. *L'Elevage en Pays Sabéliens*. Collection "Techniques Vivantes". PUF-Agence de Coopération Culturelle et Technique, 192 p.
- Crétenet M., 1996. Expérimentation des systèmes de culture dans les pays tropicaux: cas des zones cotonnières d'Afrique Noire. In: Budelman A. (Ed.) *Agricultural R&D at the Crossroads. Merging Systems Research and Social Actor Approaches*. Royal Tropical Institute, Amsterdam, pp. 69-80.
- Dabin B., 1967. Application des dosages automatiques à l'analyse des sols. 3ème partie. *Cahiers ORSTOM, Série Pédologie* **5** (3), 257-286.
- Dacosta H., 1989. *Précipitations et écoulements sur le bassin de la Casamance*. PhD Thesis, Univ. Cheikh Anta Diop, Dakar, 278 p.
- de Leeuw P.N., Reynolds L., Rey B., 1994. Nutrient transfers from livestock in West African agricultural systems. In: Powell J.M., Fernandez-Rivera S., Williams T.O., Renard C. (Eds.), *Livestock and Sustainable Nutrient Cycling in Mixed Farming Systems of Sub-Saharan Africa. Proceedings of an International Conference*, Addis Ababa, Ethiopia, 22-26/11/1993. ILCA (International Livestock Centre for Africa), pp. 371-391.
- de Ridder, van Keulen H., 1990. Some aspects of the role of organic matter in sustainable intensified arable farming systems in the West-African semi-arid-tropics (SAT). *Fertilizer Research* **26**, 299-310.
- de Wolf J., 1998. Species composition and structure of the woody vegetation of the Middle Casamance region (Senegal). *Forest Ecology and Management* **111** (2-3), 249-264.
- Déat M., Joly A., Dubernard J., Sément G., 1976. Exportations minérales du cotonnier et de quelques cultures tropicales en zone de savane africaine. *Coton et Fibres Tropicales* **31** (4), 409-418.
- Defoer T., de Groote H., Hillhorst T., Kante S., Budelman A., 1998. Participatory action research and quantitative analysis for nutrient management in southern Mali. A fruitful marriage? *Agriculture Ecosystems & Environment* **71** (1-3), 215-228.
- Delacharlerie P.F., 1994. *Contribution à l'étude de l'alimentation des bovins sur parcours naturel en Moyenne-Casamance (Sénégal): composition botanique des régimes, rôle des fourrages ligneux. Première approche de la disponibilité fourragère ligneuse*. Master's Thesis, ENVA, Maison-Alfort, 91 p. p.
- Delaney M., Brown S., Lugo A.E., Torreslezama A., Quintero N.B., 1997. The distribution of organic carbon in major components of forests located in five life zones of Venezuela. *Journal of Tropical Ecology* **13** (Part 5), 697-708.

- Denich M., Kanashiro M., Vlek P.L.G., 2000. The potential and dynamics of carbon sequestration in traditional and modified fallow systems of the eastern Amazon region, Brazil. In: Lal R., Kimble J.M., Stewart B.A. (Eds.), *Global Climate Change and Tropical Ecosystems*. Crc Press Inc, Boca Raton, pp. 213-229.
- Derouard L., Villenave C., Lavelle P., Masse D., 1998. Evolution de la macrofaune du sol au cours d'un hivernage dans des jachères d'âges différents au Sénégal. In: Floret C. (Ed.) *Raccourcissement du temps de jachère, biodiversité et développement durable en Afrique Centrale (Cameroun) et en Afrique de l'Ouest (Mali, Sénégal). Final report*. Comm. des Communautés européennes. Contrat TS3-CT93-0220 (DG 12 HSMU), and IRD Paris, pp. 139-145.
- Derouw A., 1998. Gestion de la fertilité du sol sur un terroir sahélien. Fumure animale, matière organique et encroûtement superficiel du sol dans les systèmes de culture de mil, étude au Niger. *Agriculture et Développement* **18**, 63-70.
- Desanker P.V., Frost P.G.H., Justice C.O., Scholes R.J. (Eds.), 1995. *The Miombo Network: Framework for a Terrestrial Transect Study of Land-Use and Land-Cover Change in the Miombo Ecosystems of Central Africa*, IGBP Report, Vol. 41. The International Geosphere-Biosphere Programme (IGBP), Stockholm, 109 p.
- Detwiler R.P., 1986. Land use change and the global carbon cycle: the role of tropical soils. *Biogeochemistry* **2**, 67-93.
- Diouf M., 1990. Diagnostic agronomique en parcelles paysannes. Une méthode d'amélioration des systèmes de culture. In: *Savanes d'Afrique, Terres Fertiles ?*, Montpellier, France, 10-14/12/1990. Ministère de la Coopération - CIRAD, pp. 123-143.
- Donfack P., Floret C., Pontanier R., 1995. Secondary succession in abandoned fields of dry tropical Northern Cameroon. *Journal of Vegetation Science* **6**, 499-508.
- Duchaufour P., 1983. *Pédogenèse et Classification*. Masson, Paris, 491 p.
- Dufrène E., Ochs R., Saugier B., 1990. Oil palm photosynthesis and productivity linked to climatic factors -. *Oléagineux* **45** (8-9), 345-355.
- Dugué P., 1985. Utilisation des résidus de récolte dans un système agro-pastoral sahélo-soudanien au Yatenga (Burkina-Faso). In: *Relations Agriculture-Elevage. Actes du Deuxième Séminaire du DSA/CIRAD*, Montpellier, France, 10-13/09/1985. CIRAD-DSA, pp. 76-85.
- Dugué P., 1998a. Gestion de la fertilité et stratégies paysannes. Le cas des zones de savanes d'Afrique de l'Ouest. *Agriculture et Développement* **18**, 13-20.
- Dugué P., 1998b. Les transferts de fertilité dus à l'élevage en zone de savane. *Agriculture et Développement* **18**, 99-107.

- Dugué P., 2000. Flux de biomasse et gestion de la fertilité à l'échelle des terroirs. Etude de cas au Nord Cameroun et essai de généralisation aux zones de savane d'Afrique sub-saharienne. In: Dugué P. (Ed.) *Fertilité et relations agriculture-élevage en zone de savane*, Montpellier, 5-6/05/1998. Centre International de Recherche pour le Développement, pp. 27-59.
- Egharevba P.N., undated. A review of millet work at the Institute for Agricultural Research of Samaru, Nigeria. .
- Ellert B.H., Bettany J.R., 1995. Calculation of organic matter and nutrients stored in soils under contrasting management regimes. *Canadian Journal of Soil Science* **75**, 529-538.
- ENGREF, 2000. *Research at ENGREF*. Ecole Nationale du Génie Rural des Eaux et des Forêts, [<http://www.engref.fr/ANGLAIS/Accueil.htm>].
- Eswaran H., van den Berg E., Reich P., 1993. Organic carbon in soils of the world. *Soil Science Society of America Journal* **57**, 192-194.
- Fall S., 1998. *Impact de deux espèces de termites à régime alimentaire différencié sur la matière organique et le compartiment microbien de termitières*. Master's Thesis, UCAD, Dakar, 86 p.
- Fanchette S. (Ed.), 1999a. *Colonisation des terres sylvo-pastorales et conflits fonciers en Haute-Casamance*, Pastoral Land Tenure Series, Vol. 13. International Institute for Environment and Development, London, 31 p.
- Fanchette S., 1999b. Densité de population et intensification agro-pastorale en Haute-Casamance. *Espaces, Populations, Sociétés* **1**, 67-81.
- FAO, 1989. *Studies on the volume and yield of tropical forest stands. Dry forest formations*. Forestry Papers, Vol. 51. Food and Agricultural Organisation, Rome, 112 p.
- FAO, 1997. *Carbohydrates in human nutrition*. FAO Food and Nutrition Paper, Vol. 66. Food and Agricultural Organization, Rome, 129 p.
- FAO, 1998a. *Current World Fertilizer Situation and Outlook 1996/1997 - 2002/2003*. Food and Agricultural Organisation, Rome.
- FAO, 1998b. *World reference base for soil resources*. World Soil Resources Reports, Vol. 84. Food and Agricultural Organisation, Rome, 98 p.
- FAO, 2000. *FAOStat-Agriculture database*. Food and Agricultural Organization, [<http://apps.fao.org/>].
- Fearnside P.M., Barbosa R.I., 1998. Soil carbon changes from conversion of forest to pasture in Brazilian Amazonia. *Forest Ecology and Management* **108** (1-2), 147-166.
- Feller C., 1979. Une méthode de fractionnement granulométrique de la matière organique des sols. Application aux sols tropicaux, à textures grossières, très pauvres en humus. *Cahiers ORSTOM, Série Pédologie* **27** (4), 339-346.



- Feller C., 1981. *Transformation de résidus de récolte marqués (pailles 14C 15N, compost 14C) et devenir de l'azote-engrais (15N-urée) dans un agrosystème tropical*. ORSTOM Dakar - CEA - DB/SRA Cadarache.
- Feller C., 1993. Organic inputs, soil organic matter and functional soil organic compartments in low-activity clay soils in tropical zones. In: Mulongoy K., Merckx R. (Eds.), *Soil Organic Matter Dynamics and Sustainability of Tropical Agriculture. Proceedings of an International Symposium*, Leuven, Belgium, 4-6/11/1991. John Wiley & Sons, pp. 77-88.
- Feller C., 1995a. *La matière organique dans les sols tropicaux à argile 1:1. Recherche de compartiments fonctionnels. Une approche granulométrique*. Collection TDM, Vol. 144. ORSTOM, Paris, 393 p.
- Feller C., 1995b. La matière organique du sol et la recherche d'indicateurs de la durabilité des systèmes de culture dans les régions tropicales semi-arides et subhumides d'Afrique de l'Ouest. In: Ganry F., Campbell B. (Eds.), *Sustainable Land Management in African Semi-Arid and Subhumid Regions. Proceedings of the SCOPE Workshop*, Dakar, Senegal, 15-19/11/1993. CIRAD, pp. 123-130.
- Feller C., Balesdent J., Nicolardot B., Cerri C., 2000. Approaching "functional" soil organic matter pools through particle-size fractionation. Examples for tropical soils. *Advances in Soil Science*, in press.
- Feller C., Beare M.H., 1997. Physical control of soil organic matter dynamics in the tropics. *Geoderma* **79** (1-4), 69-116.
- Feller C., Chopart J.L., Dancette F., 1987. Effet de divers modes de restitution de pailles de mil sur le niveau et la nature du stock organique dans deux sols sableux tropicaux (Sénégal). *Cahiers ORSTOM, Série Pédologie* **23** (3), 237-252.
- Feller C., Ganry F., Cheval M., 1981. Décomposition et humification des résidus végétaux dans un agrosystème tropical. I. Influence d'une fertilisation azotée (urée) et d'un amendement organique (compost) sur la répartition du carbone et de l'azote dans différents compartiments d'un sol sableux. *L'Agronomie Tropicale* **36** (1), 9-17.
- Feller C., Milleville P., 1977. Evolution des sols de défriche récente dans la région des Terres Neuves (Sénégal Oriental). I: Présentation de l'étude et évolution des principales caractéristiques morphologiques et physico-chimiques. *Cahiers ORSTOM, Série Biologie* **12** (3), 199-211.
- Fernandes P., 1999. *Effet des modes de gestion des terres en zone sahélienne sur les termes et l'évolution de leur bilan organique et biologique: conséquences pour une production céréalière soutenue - Cas du Sénégal*. PhD Thesis, Inst. Nat. Polytech. de Lorraine, Nancy, 109 p.
- Fernandez-Rivera S., Williams T.O., Hiernaux P., Powell J.M., 1994. Faecal excretion by ruminants and manure availability for crop production in semi-arid West-Africa. In: Powell J.M., Fernandez-Rivera S., Williams T.O., Renard C. (Eds.), *Livestock and Sustainable Nutrient Cycling in Mixed Farming Systems of Sub-Saharan Africa. Proceedings of an International Conference*, Addis Ababa, Ethiopia, 22-26/11/1993. ILCA (International Livestock Centre for Africa), pp. 149-169.

- FIA-SLE, 1990. *L'Analyse Socio-Economique des Systèmes d'Exploitation Agricole et de la Gestion de Terroir dans le Bas-Saloum, Sénégal*. Schriftenreihe des Fachbereichs, Vol. 132. Verlag-Technische Universität Berlin, Berlin, 225 p.
- Fittkau E.J., 1997. Structure, function and diversity of Central Amazonian ecosystems. *Natural Resources and Resource Development* **45/46**, 28-41.
- Floret C. (Ed.), 1998. *Raccourcissement du temps de jachère, biodiversité et développement durable en Afrique Centrale (Cameroun) et en Afrique de l'Ouest (Mali, Sénégal): Final Report*. Comm. des Communautés Européennes. Contrat TS3-CT93-0220 (DG 12 HSMU), and IRD Paris, 245 p.
- Floret C., Pontanier R., Serpantié G., 1993. *La Jachère en Afrique Tropicale*. Man and Biosphere, Vol. 16. UNESCO, Paris, 86 p.
- Fogel R., 1985. Roots as primary producers in below-ground ecosystems. In: Fitter A.H. (Ed.) *Ecological Interactions in Soil. Plant, Microbes and Animals*. Blackwell Scientific Pub., pp. 23-36.
- Fournier A., 1982. Cycle saisonnier de la biomasse herbacée dans les savanes de Ouango-Fitini. *Annales de l'Université d'Abidjan, Série E* **XV**, 63-94.
- Fournier A., 1996. Dans quelle mesure la production nette de matière végétale herbacée dans les jachères en savane soudanienne est-elle utilisable pour le pâturage ? In: Floret C. (Ed.) *La Jachère, Lieu de Production*, Bobo Dioulasso, Burkina Faso, 2-4/10/1996, pp. 101-111.
- Friesen D.K., Rao I.M., Thomas R.J., Oberson A., Sanz J.I., 1997. Phosphorus acquisition and cycling in crop and pasture systems in low fertility tropical soils. *Plant and Soil* **196** (2), 289-294.
- Frommel D., 1999. Coup de chaleur sur la planète - Heatwave hits the planet. *Le Monde Diplomatique* (Paris), Décembre 1999, 22-23.
- Gavinelli E., Feller C., Larre-Larrouy M.C., Bacye B., Djegui N., Nzila J.d.D., 1995. A routine method to study soil organic matter by particle-size fractionation: example for tropical soils. *Communications in Soil Science and Plant Analysis* **26** (11-12), 1749-1760.
- Giller K.E., Beare M.H., Lavelle P., Izac A.M.N., Swift M.J., 1997. Agricultural intensification, soil biodiversity and agroecosystem function. *Applied Soil Ecology* **6** (1), 3-16.
- Gleave M.B., 1996. The length of the fallow period in tropical fallow farming systems: a discussion with evidence from Sierra Leone. *Geographical Journal* **162** (1), 14-24.
- Greenland D.J., Nye P.H., 1959. Increases in the carbon and nitrogen content of tropical soils under natural fallows. *Journal of Soil Science* **10** (2), 284-299.
- Greenland D.J., Wild A., Adams D., 1992. Organic matter dynamics in soils of the tropics - from myth to complex reality. In: Lal R., Sanchez P.A. (Eds.), *Myths and Science of Soils of the Tropics*. Soil Science Society of America, Madison, pp. 17-33.

- Gregorich E.G., Carter M.R., Angers D.A., Monreal C.M., Ellert B.H., 1996. Towards a minimum data set to assess soil organic matter quality in agricultural soils. *Canadian Journal of Soil Science* **74**, 367-385.
- Grisi B., Grace C., Brookes P.C., Benedetti A., Dell Abate M.T., 1998. Temperature effects on organic matter and microbial biomass dynamics in temperate and tropical soils. *Soil Biology & Biochemistry* **30** (10-11), 1309-1315.
- Guérin H., Richard D., Lefevre P., Friot D., Mbaye N., 1989. Préviation de la valeur nutritive des fourrages ingérés sur parcours naturels par les ruminants domestiques sahéliens et soudaniens. In: *XVII<sup>th</sup> International Grassland Congress*, Nice, France, 4-11/10/1989. INRA, pp. 879-880.
- Gueye F., Ganry F., 1981. *Recyclage des résidus de récolte par la voie fermentative. Exemple de deux pailles: mil et maïs*. International Foundation for Science - Institut Sénégalais de Recherches Agricoles/CNRA, Stockholm - Bambey.
- Guillaume K., Abbadie L., Mariotti A., Nacro H., 1999. Soil organic matter dynamics in tiger bush (Niamey, Niger). Preliminary results. *Acta Oecologica - International Journal of Ecology* **20** (3), 185-195.
- Hall C.A.S., Hall M.H.P., 1993. The efficiency of land and energy use in tropical economies and agriculture. *Agriculture Ecosystems & Environment* **46**, 1-30.
- Harmand J.M., Njiti C.F., 1998. Effets de jachères agroforestières sur les propriétés d'un sol ferrugineux et sur la production céréalière. *Agriculture et Développement* **18**, 21-29.
- Harmand J.M., Njiti C.F., Bernhard-Reversat F., Feller C., Oliver R., 2000. Variation des stocks de carbone dans le sol au cours du cycle jachère arborée - culture en zone soudanienne du Cameroun. In: Floret C., Pontanier R. (Eds.), *La Jachère en Afrique Tropicale - Vol I. Actes du Séminaire International*, Dakar, Senegal, 13-16/04/1999. John Libbey, Paris, in press.
- Hatcher L., Stepanski E.J., 1994. *A step-by-step approach to using the SAS System for univariate and multivariate statistics*. SAS Institute Inc., Cary, NC, 552 p.
- Hendrix P.F., Crossley D.A., Blair J.M., Coleman D.C., 1990. Soil biota as components of sustainable agroecosystems. In: Edwards C.A., Lal R., Madden P., Miller R.H., House G. (Eds.), *Sustainable Agricultural Systems*. Soil and Water Conservation Society, Ankeny, pp. 637-654.
- Herrick J.E., Wander M.M., 1998. Relationships between soil organic carbon and soil quality in cropped and rangeland soils: The importance of distribution, composition, and soil biological activity. In: Lal R., Kimble J.M., Follett R.F., Stewart B.A. (Eds.), *Soil Processes and the Carbon Cycle*. CRC Press Inc, Boca Raton, pp. 405-425.
- Hiernaux P., Fernandez-Rivera S., Schlecht E., Turner M.D., Williams T.O., 1997. Livestock-mediated nutrient transfers in Sahelian agro-ecosystems. In: Renard G., Neef A., Becker K., VonOppen M. (Eds.), *Soil Fertility Management in West African Land Use Systems. Proceedings of the Regional Workshop*, Niamey, Niger, 4-8/03/1997. Margraf Verlag, pp. 339-347.

- Hoefsloot H., VanDerPol F., 1993. *Jachères Améliorées. Options pour le Développement des Systèmes de Production en Afrique de l'Ouest*. Bulletins de l'Institut Royal des Tropiques, Vol. 333. Royal Tropical Institute, Amsterdam, 85 p.
- Houghton R.A., 1995. Land-use change and the carbon cycle. *Global Change Biology* **1**, 275-287.
- Hulugalle N.R., 1994. Long-term effects of land clearing methods, tillage systems and cropping systems on surface soil properties of a tropical alfisol in S.W. Nigeria. *Soil Use and Management* **10**, 25-30.
- Ickowicz A., Usengumuremyi J., Badiane A., Richard D., Colleye F., Dupressoir D., 1998. Interactions entre jachère et systèmes d'alimentation des bovins en zone soudanienne du Sénégal: choix techniques et dynamique de développement (zone soudanienne, Sénégal). In: Floret C., Pontanier R. (Eds.), *Jachère et Systèmes Agraires*, Niamey, Niger, 30/09-2/10-1998. ORSTOM, pp. 123-138.
- Ickowicz A., Usengumuremyi J., Bastien D., de Choudens N., 1997. Spatial analysis of land use by cattle herds in a village of the Sudanese zone in Senegal. Application for grazing system improvement. In: *XVIII<sup>th</sup> International Grassland Congress*, Winnipeg-Saskatoon, Canada, 8-19/06/97, in press.
- Izac A.M.N., 1997a. Developing policies for soil carbon management in tropical regions. *Geoderma* **79** (1-4), 261-276.
- Izac A.M.N., 1997b. Ecological economics of investing in natural resource capital in Africa. In: *Replenishing Soil Fertility in Africa*. American Society of Agronomy and Soil Science Society of America, Madison, USA, pp. 237-251.
- Izac A.M.N., Swift M.J., 1994. On agricultural sustainability and its measurement in small-scale farming in sub-Saharan Africa. *Ecological Economics* **11**, 105-125.
- Jacquemard J.C., 1995. *Le Palmier à Huile*. Le Technicien d'Agriculture Tropicale. Maisonneuve et Larose, Paris, 207 p.
- Jaffre T., 1984. *Evolution de la biomasse épigée et du stock de carbone d'une culture pérenne: le palmier à huile (Elaeis guineensis Jacq.)*. ORSTOM, Abidjan.
- Jaiyeoba I.A., 1995. Changes in soil properties related to different land uses in part of the Nigerian semi-arid Savannah. *Soil Use and Management* **11**, 84-89.
- Jenkinson D.S., Ayanaba A., 1977. Decomposition of carbon-14 labelled plant material under tropical conditions. *Soil Science Society of America Journal* **41**, 912-915.
- Jenny H., Gessel S.P., Bingham F.T., 1949. Comparative study of decomposition rates of organic matter in temperate and tropical regions. *Soil Science* **68**, 419-432.
- Jones C.J., Lawton J.H., Shachak M., 1994. Organisms as ecosystem engineers. *Oikos* **69**, 373-386.
- Jones J.A., 1990. Termites, soil fertility and carbon cycling in dry tropical Africa: a hypothesis. *Journal of Tropical Ecology* **6**, 291-305.

- Jones M.J., 1971. The maintenance of soil organic matter under continuous cultivation at Samaru, Nigeria. *Journal of Agricultural Science* **77**, 473-482.
- Jones M.J., 1973. The organic matter content of the savanna soils of West Africa. *Journal of Soil Science* **24** (1), 42-53.
- Jones M.J., Wild A., 1975. *Soils of the West African Savanna*. Technical Communications, Vol. 55. Commonwealth Agricultural Bureaux, Farnham Royal, 246 p.
- Juo A.S.R., Franzluebbers K., Dabiri A., Ikhile B., 1995. Changes in soil properties during long-term fallow and continuous cultivation after forest clearing in Nigeria. *Agriculture Ecosystems & Environment* **56**, 9-18.
- Juo A.S.R., Manu A., 1996. Chemical dynamics in slash-and-burn agriculture. *Agriculture Ecosystems & Environment* **58** (1), 49-60.
- Kaïré M., 1999. *La production ligneuse des jachères et son utilisation par l'homme au Sénégal*. PhD Thesis, Université d'Aix-Marseille I, Marseille, 115 p.
- Kaiser P., 1983. The role of soil micro-organisms in savanna ecosystems. In: Bourlière F. (Ed.) *Tropical Savannas*. Elsevier Scientific Publishing Co., Amsterdam, pp. 541-557.
- Kay B.D., 1998. Soil structure and organic carbon: a review. In: Lal R., Kimble J.M., Follett R.F., Stewart B.A. (Eds.), *Soil Processes and the Carbon Cycle*. CRC Press Inc, Boca Raton, pp. 169-197.
- Ker A., 1995. *Farming Systems in the African Savanna. A Continent in Crisis*. International Development Research Centre (IDRC), Ottawa, 176 p.
- Khombe C.T., Dube I.A., Nyathi P., 1992. The effects of kraaling and stover supplementation during the dry season on body weights and manure production of Mashona steers in Zimbabwe. *African Livestock Research* **1**, 18-23.
- Kotto-Same J., Woomer P.L., Appolinaire M., Louis Z., 1997. Carbon dynamics in slash-and-burn agriculture and land use alternatives of the humid forest zone in Cameroon. *Agriculture Ecosystems & Environment* **65** (3), 245-256.
- Kowal J.M., Kassam A.H., 1978. *Agricultural Ecology of Savanna: a Study of West Africa*. Clarendon Press, Oxford, UK, 403 p.
- Krogh L., 1997. Field and village nutrient balances in millet cultivation in northern Burkina Faso: A village case study. *Journal of Arid Environments* **35** (1), 147-159.
- Lambert G., 1992. Les gaz à effet de serre. *La Recherche* **243**, 550-556.
- Lamers J., Buerkert A., Makkar H.P.S., von Oppen M., Becker K., 1996. Biomass production, and feed and economic value of fodder weeds as by-products of millet cropping in a sahelian farming system. *Experimental Agriculture* **32** (3), 317-326.

- Lamotte M., Bourlière F., 1978. *Problèmes d'Ecologie: Structure et Fonctionnement des Ecosystèmes Terrestres*. Masson, Paris, 345 p.
- Lamotte M., Bourlière F., 1983. Energy flow and nutrient cycling in tropical savannas. In: Bourlière F. (Ed.) *Tropical Savannas*. Elsevier Scientific Publishing Co., Amsterdam, pp. 583-603.
- Landais E., Guérin H., 1992. Systèmes d'élevage et transferts de fertilité dans la zone des savanes africaines. I. La production des matières fertilisantes. *Cahiers Agricultures* **1**, 225-238.
- Landais E., Lhoste P., 1984. L'association agriculture-élevage en Afrique Tropicale: un mythe techniciste confronté aux réalités du terrain. *Cahiers des Sciences Humaines* **26** (1-2), 217-235.
- Landais E., Lhoste P., 1993. Systèmes d'élevage et transferts de fertilité dans la zone des savanes africaines. II. Les systèmes de gestion de la fumure animale et leur insertion dans les relations entre l'élevage et l'agriculture. *Cahiers Agricultures* **2**, 9-25.
- Larbi A., Dung D.D., Olorunju P.E., Smith J.W., Tanko R.J., Muhammad I.R., Adekunle I.O., 1999. Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars. *Animal Feed Science and Technology* **77** (1-2), 33-47.
- Lavelle P., Barois I., Blanchart E., Brown G., Brussaard L., Decaëns T., Fragoso C., Jimenez J.J., kajondo K., Martinez M.d.L.A., Moreno A., Pashanasi B., Senapati B., Villenave C., 1998. Earthworms as a resource in tropical agroecosystems. *Nature & Resources* **34** (1), 26-41.
- Lavelle P., Bignell D., Lepage M., Wolters V., Roger P., Ineson P., Heal O.W., Dhillion S., 1997. Soil function in a changing world: the role of invertebrate ecosystem engineers. *European Journal of Soil Biology* **33** (4), 159-193.
- Lericollais A., Milleville P., 1993. La jachère dans les systèmes agropastoraux Sereer au Sénégal. In: Floret C., Serpantié G. (Eds.), *La Jachère en Afrique de l'Ouest. Atelier International*, Montpellier, France, 2-5/12/1991. ORSTOM, pp. 133-145.
- Lopes da Silva M., Vielhauer K., Denich M., Vlek P.L.G., 1998. Can tree enrichment of secondary vegetation and fire-free land preparation by cutting, chopping and mulching improve the following crops ? In: Lieberei R., Voss K., Bianchi H. (Eds.), *Proceedings of the Third Studies on Human Impact on Forests and Floodplains in the Tropics (SHIFT) Workshop*, Manaus, 15-19/03/1998. GKSS Geesthacht, pp. 113-118.
- Lupwayi N.Z., Haque I., 1999. Leucaena hedgerow intercropping and cattle manure application in the Ethiopian highlands - III. Nutrient balances. *Biology and Fertility of Soils* **28** (2), 204-211.
- Mando A., 1998. Soil-dwelling termites and mulches improve nutrient release and crop performance on Sahelian crusted soil. *Arid Soil Research and Rehabilitation* **12** (2), 153-163.

- Mando A., Stroosnijder L., 1999. The biological and physical role of mulch in the rehabilitation of crusted soil in the Sahel. *Soil Use and Management* **15** (2), 123-127.
- Manlay R., 1994. *Jachère et gestion de la fertilité en Afrique de l'Ouest: suivi de quelques indicateurs agro-écologiques dans deux sites du Sénégal*. Master's Thesis, Université d'Aix-Marseille, Marseille, 69 p.
- Manlay R., Cambier C., Ickowicz A., Masse D., 2000a. Modélisation de la dynamique du statut organique d'un terroir ouest-africain par un système multi-agents. In: Floret C., Pontanier R. (Eds.), *La Jachère en Afrique Tropicale - Vol I. Actes du Séminaire International*, Dakar, Senegal, 13-16/04/1999. John Libbey, Paris, in press.
- Manlay R.J., Cadet P., Thioulouse J., Chotte J.-L., 2000b. Relationships between abiotic and biotic soil properties during fallow periods in the sudanian zone of Senegal. *Applied Soil Ecology* **14** (2), 89-101.
- Martinez-Yrizar A., 1995. Biomass distribution and primary productivity of tropical dry forests. In: Bullock S.H., Mooney H.A., Medina E. (Eds.), *Seasonally Dry Tropical Forests*. Cambridge University Press, pp. 326-345.
- Masse D., Bodian A., Cadet P., Chotte J.-L., Diatta M., Faye E.H., Floret C., Kairé M., Manlay R., Pontanier R., Bernhard-Reversat F., Russell-Smith A., Sarr M., 1998. Importance de divers groupes fonctionnels sur le fonctionnement de jachères courtes. In: Floret C. (Ed.) *Projet CEE N° TS3-CT93-0220 (DG12 HSMU). Raccourcissement du Temps de Jachère, Biodiversité et Développement Durable en Afrique Centrale (Cameroun) et en Afrique de l'Ouest (Mali, Sénégal)*. Rapport final, Dakar, pp. 163-202.
- Masse D., Dembellé F., Le Floch E., Yossi H., 1997. Impact de la gestion des feux de brousse sur la qualité des sols des jachères de courte durée dans la zone soudanienne du Mali. In: Renard G., Neef A., Becker K., von Oppen M. (Eds.), *Soil Fertility Management in West African Land Use Systems. Proceedings of the Regional Workshop*, Niamey, Niger, 4-8/03/1997. Margraf Verlag, pp. 115-121.
- Mathur S.P., 1982. The role of soil enzymes in the degradation of organic matter in the tropics, subtropics and temperate zones. In: *Non-Symbiotic Nitrogen Fixation and Organic Matter in the Tropics. Transactions of the 12th International Congress of Soil Science*, New Delhi, India, 8-16/02/1982, pp. 125-136.
- Mazoyer M., Roudard L., 1997. *Histoire des Agricultures du Monde. Du Néolithique à la Crise Contemporaine*. Seuil, Paris, 534 p.
- Meertens H.C.C., Fresco L.O., Stoop W.A., 1996. Farming systems dynamics: Impact of increasing population density and the availability of land resources on changes in agricultural systems. The case of Sukumaland, Tanzania. *Agriculture Ecosystems & Environment* **56** (3), 203-215.

- Menaut J.-C., Barbault R., Lavelle P., Lepage M., 1985. African savannas: biological systems of humification and mineralization. In: Tothill J.C., Mott J.J. (Eds.), *Ecology and Management of the World's Savannas*. Australian Acad. Science, Canberra, pp. 14-33.
- Menaut J.-C., César J., 1979. Structure and primary productivity of Lamto savannas, Ivory Coast. *Ecology* **60** (6), 1197-1210.
- Milleville P., 1972. Approche agronomique de la notion de parcelle en milieu traditionnel africain: la parcelle d'arachide en Moyenne-Casamance. *Cahiers ORSTOM, Série Biologie* **17**, 23-37.
- Mohr H., Schopfer P., 1995. *Plant Physiology*. Springer Verlag, Berlin, 629 p.
- Mokwunye U., Hammond L.L., 1992. Myths and science of fertilizer use in the tropics. In: Lal R., Sanchez P.A. (Eds.), *Myths and Science of Soils of the Tropics*. Soil Science Society of America, Madison, pp. 121-134.
- Mordelet P., 1993. *Influence des arbres sur la strate herbacée d'une savane humide (Lamto, Côte d'Ivoire)*. PhD Thesis, Université Paris VI, 150 p.
- Moureaux C., 1967. Influence de la température et de l'humidité sur les activités biologiques de quelques sols ouest-africains. *Cahiers ORSTOM, Série Pédologie* **5** (4), 393-420.
- Murphy P.G., Lugo A.E., 1986. Ecology of tropical dry forest. *Annual Review of Ecology and Systematics* **17**, 67-88.
- Murwira K.H., Swift M.J., Frost P.G.H., 1994. Manure as a key resource in sustainable agriculture. In: Powell J.M., Fernandez-Rivera S., Williams T.O., Renard C. (Eds.), *Livestock and Sustainable Nutrient Cycling in Mixed Farming Systems of Sub-Saharan Africa. Proceedings of an International Conference*, Addis Ababa, Ethiopia, 22-26/11/1993. ILCA (International Livestock Centre for Africa), pp. 131-148.
- Mwangi W.M., 1997. Low use of fertilizers and low productivity in sub-Saharan Africa. *Nutrient Cycling in Agroecosystems* **47** (2), 135-147.
- Myers R.J.K., Palm C.A., Cuevas E., Gunatilleke I.U.N., Brossard M., 1994. The synchronisation of nutrient mineralisation and plant nutrient demand. In: Woomer P.L., Swift M.J. (Eds.), *The Biological Management of Tropical Soil Fertility*. Wiley-Sayce Publication, pp. 81-116.
- Naseem A., Kelly V., 1999. *Macro trends and determinants of fertilizer use in Sub Saharan Africa*. Rep. No. MSU International Development Working Paper 73. Michigan State University, Michigan.
- Neher D.A., 1999. Soil community composition and ecosystem processes - Comparing agricultural ecosystems with natural ecosystems. *Agroforestry Systems* **45** (1-3), 159-185.
- Ngamine J., Altolna M., 2000. Flux de biomasse et gestion de la fertilité à l'échelle des terroirs. Etude de cas dans trois terroirs agro-pastoraux du sud du Tchad. In: Dugué P. (Ed.) *Fertilité et relations*



- agriculture-élevage en zone de savane*, Montpellier, France, 5-6/05/1998. Centre International de Recherche pour le Développement, pp. 13-25.
- Nye P.H., Greenland D.J., 1960. *The Soil Under Shifting Cultivation.*, Vol. 51. Technical Communications, Farnham Royal, 156 p.
- Odum E.P., 1969. The strategy of ecosystem development. *Science* **164**, 262-270.
- Olasantan F.O., 1999. Food production, conservation of crop plant biodiversity and environmental protection in the twenty-first century: the relevance of tropical cropping systems. *Outlook on Agriculture* **28** (2), 93-102.
- Ong C.K., 1996. New ideas on soil formation, soil fertility. *Agroforestry Today* **8** (3).
- Page A., Miller R., Keeney D. (Eds.), 1989. *Methods of Soil Analysis. Part 2. Chemical and Microbiological Properties*, Agronomy, Vol. 9, Madison, Wisconsin, 1159 p.
- Pâte E., 1997. *Analyse spatio-temporelle des peuplements de nématodes phytoparasites dans les systèmes de culture à jachère du Sénégal*. PhD Thesis, Université Claude Bernard, Lyon, 208 p.
- Pavé A., 1994. *Modélisation en Biologie et en Ecologie*. Aléas, Lyon, 559 p.
- Pélicier P., 1966. *Les Paysans du Sénégal. Les Civilisations Agraires du Cayor à la Casamance*. Ministère de l'Education Nationale - Centre National de la Recherche Scientifique, St Yrieix, 939 p.
- Peltier R., 1993. Les jachères à composante ligneuse. Caractérisation, productivité, gestion. In: Floret C., Serpantié G. (Eds.), *La Jachère en Afrique de l'Ouest. Atelier International*, Montpellier, France, 2-5/12/1991. ORSTOM, pp. 67-87.
- Peltier R., Pity B., 1993. De la culture itinérante sur brûlis au jardin agroforestier en passant par les jachères enrichies. *Bois et Forêts des Tropiques* **235**, 49-57.
- Perry D.A., Amaranthus M.P., Borchers J.G., Borchers S.L., Brainerd R.E., 1989. Bootstrapping in ecosystems. *Bioscience* **39** (4), 230-237.
- Peters J.B., Schulte E.E., 1994. Soil test survey of the Gambia - an overview. *Communications in Soil Science and Plant Analysis* **25** (9-10), 1713-1733.
- Pieri C., 1989. *Fertilité des Terres de Savanes*. Ministère de la Coopération - CIRAD, Paris (English edition: Pieri, C., 1992. *Fertility of soils: A Future for Farming in the West African Savannah*. Springer Series in Physical Environment. Springer-Verlag, Berlin), 444 p.
- Potvin C., Roff D.A., 1993. Distribution-free and robust statistical methods: viable alternatives to parametric statistics? *Ecology* **74** (6), 1617-1628.
- Poulain J.F., 1977. Crop residues in traditional cropping systems of West africa. Effects on the mineral balance and level of organic matter in soils. Proposals for their better management. In: *Organic*

- Recycling in Africa. FAO/SIDA Workshop on the Use of Organic Materials as Fertilizers in Africa*, Buéa, Cameroon, 5-14/05/1977. FAO, pp. 38-71.
- Powell J.M., 1984. Assessment of dry matter yield from grain yield in the West African Savannah Zone. *Journal of Agricultural Science* **103**, 695-698.
- Powell J.M., 1986. Manure for cropping: a case study from central Nigeria. *Experimental Agriculture* **22**, 15-24.
- Powell J.M., Fernandez-Rivera S., Hiernaux P., Turner M.D., 1996. Nutrient cycling in integrated rangeland/cropland systems of the Sahel. *Agricultural Systems* **52** (2-3), 143-170.
- Powell J.M., Williams T.O., 1994. An overview of mixed farming systems in sub-Saharan Africa. In: Powell J.M., Fernandez-Rivera S., Williams T.O., Renard C. (Eds.), *Livestock and Sustainable Nutrient Cycling in Mixed Farming Systems of Sub-Saharan Africa. Proceedings of an International Conference*, Addis Ababa, Ethiopia, 22-26/11/1993. ILCA (International Livestock Centre for Africa), pp. 21-36.
- Probert M.E., Okalebo J.R., Jones R.K., 1995. The use of manure on smallholders farms in semi-arid eastern Kenya. *Experimental Agriculture* **31**, 371-381.
- Prudencio C.Y., 1993. Ring management of soils and crops in the West African semi-arid tropics - the case of the Mossi farming system in Burkina Faso. *Agriculture Ecosystems & Environment* **47**, 237-264.
- Quilfen J.P., Milleville P., 1983. Résidus de culture et fumure animale. Un aspect des relations agriculture-élevage dans le Nord de la Haute-Volta. *L'Agronomie Tropicale* **38** (3), 206-212.
- Ramade F., 1981. *Ecologie des Ressources Naturelles*. Collection Ecologie Appliquée et Sciences de l'Environnement. Masson, Paris, 322 p.
- Richard D., Ahopke B., Blanfort V., Pouye B., 1991. Utilisation des zones agricoles et pastorales par les ruminants en zone soudanienne (Moyenne Casamance, Sénégal). In: Gaston A., Kernick M., Le Houérou H.N. (Eds.), *Actes du Quatrième Congrès International des Terres de Parcours*, Montpellier, France, 22-26/04/1991. CIRAD, pp. 754-756.
- Roose E., Barthes B., accepted. Organic matter management for soil conservation and productivity restoration in Africa: a contribution from French-speaking research. *Nutrient Cycling in Agroecosystems*.
- Ruthenberg H., 1971. *Farming Systems in the Tropics*. Clarendon Press, Oxford, 313 p.
- Sanchez P.A., 1987. Soil productivity and sustainability in agroforestry systems. In: Steppeler H.A., Nair P.K.R. (Eds.), *Agroforestry: a Decade of Development*. International Council for Research in Agroforestry, Nairobi, pp. 205-223.

- Sanchez P.A., Miller R.H., 1986. Organic matter and soil fertility management in acid soils of the tropics. In: *XIII<sup>th</sup> Congress of the International Society of Soil Science*, Hamburg, 13-20/08/1986. ISSS-AISS-IBG, pp. 609-625.
- Sarr M., Agboba C., Russell-Smith A., 1998. The effect of length of fallow and cultivation on termite abundance and diversity in the Sahelian zone of Senegal: A preliminary note. *Pedobiologia* **42**, 56-62.
- Saxena K.G., Ramakrishnan P.S., 1986. Nitrification during slash-and-burn agriculture (Jhum) in North-Eastern India. *Acta Oecologia* **7** (3), 307-319.
- Schaefer R., 1974. Activité métabolique du sol: fonctions microbiennes et bilans biogéochimiques dans la savane de Lamto. *Bulletin de Liaison des Chercheurs de Lamto* **5**, 167-184.
- Schimel D.S., 1995. Terrestrial ecosystems and the carbon cycle. *Global Change Biology* **1**, 77-91.
- Schleich K., 1986. Le fumier peut-il remplacer la jachère ? Possibilité d'utilisation du fumier: exemple de la savane d'Afrique Occidentale. *Revue d'Elevage et de Médecine Vétérinaire des Pays Tropicaux* **39** (1), 97-102.
- Shackleton C.M., 1998. Annual production of harvestable deadwood in semi-arid savannas, South Africa. *Forest Ecology and Management* **112** (1-2), 139-144.
- Shukla R.P., Ramakrishnan P.S., 1984. Biomass allocation strategies and productivity of tropical trees related to successional status. *Forest Ecology and Management* **9** (4), 315-324.
- Siband P., 1974. Evolution des caractères et de la fertilité d'un sol rouge de Casamance. *L'Agronomie Tropicale* **29** (12), 1228-1248.
- Singh L., Singh J.S., 1991. Storage and flux of nutrients in a dry tropical forest in India. *Annals of Botany* **68** (3), 275-284.
- Sirois M.C., Margolis H.A., Camire C., 1998. Influence of remnant trees on nutrients and fallow biomass in slash-and-burn agroecosystems in Guinea. *Agroforestry Systems* **40** (3), 227-246.
- SMI, 1993. *ATLAS GIS - 3.1 Manuel de référence. Le système d'information géographique pour Windows*. Strategic Mapping Inc., Santa Clara, 316 p.
- Smil V., 1999. Crop residues: Agriculture's largest harvest. *Bioscience* **49** (4), 299-308.
- Sokona Y., 1995. Greenhouse gas emission inventory for Senegal, 1991. *Environmental Monitoring & Assessment* **38** (2-3), 291-299.
- Stoorvogel J.J., Smaling E.M.A., 1990. *Assessment of soil nutrient depletion in Sub-Saharan Africa: 1983-2000. Volume I: main report*. Rep. No. 28. The Winand Staring Centre, Wageningen.
- Stoorvogel J.J., Smaling E.M.A., Janssen B.H., 1993a. Calculating soil nutrient balances in Africa at different scales. I. Supra-national scale. *Fertilizer Research* **35** (227-235).

- Stoorvogel J.J., Smaling E.M.A., Janssen B.H., 1993b. Calculating soil nutrient balances in Africa at different scales. II. District scale. *Fertilizer Research* **35**, 237-250.
- Straskraba M., Jorgensen S.E., Patten B.C., 1999. Ecosystems emerging: 2. Dissipation. *Ecological Modelling* **117** (1), 3-39.
- Stromgaard P., 1985. Biomass, growth, and burning of woodland in a shifting cultivation area of South Central Africa. *Forest Ecology and Management* **12**, 163-178.
- Stromgaard P., 1986. Early secondary succession on abandoned shifting cultivator's plots in the Miombo of South Central Africa. *Biotropica* **18** (2), 97-106.
- Swift M.J., Anderson J.M., 1994. Biodiversity and ecosystem function in agricultural systems. In: Schulze E.D., Mooney H.A. (Eds.), *Biodiversity and Ecosystem Function*. Springer Verlag, Berlin, pp. 15-41.
- Swift M.J., Woomer P., 1993. Organic matter and the sustainability of agricultural systems: definition and measurement. In: Mulongoy K., Merckx R. (Eds.), *Soil Organic Matter Dynamics and Sustainability of Tropical Agriculture. Proceedings of an International Symposium*, Leuven, Belgium, 4-6/11/1991. John Wiley & Sons, pp. 3-18.
- Syers J.K., 1997. Managing soils for long-term productivity. *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences* **352** (1356), 1011-1021.
- Syers J.K., Craswell E.T., 1995. Role of soil organic matter in sustainable agricultural systems. In: Lefroy R.D.B., Blair G.J., Craswell E.T. (Eds.), *Soil Organic Matter Management for Sustainable Agriculture: a Workshop Held in Ubon, Thailand, 24-26/08/1994*, pp. 7-14.
- The New Encyclopaedia Britannica, 1990. Chemical Elements. In: *The New Encyclopaedia Britannica*. Vol. 15. Encyclopaedia Britannica, Inc., Chicago, p. 979.
- Thioulouse J., Chessel D., Dolédec S., Olivier J.M., 1997. ADE-4: a multivariate analysis and graphical display software. *Statistics and Computing* **7** (1), 75-83.
- Tiessen H., Cuevas E., Chacon P., 1994. The role of soil organic matter in sustaining soil fertility. *Nature* **371**, 783-785.
- Tiessen H., Feller C., Sampaio E.V.S.B., Garin P., 1998. Carbon sequestration and turnover in semiarid savannas and dry forest. *Climatic Change* **40** (1), 105-117.
- Tiessen H., Salcedo I.H., Sampaio E.V.S.B., 1992. Nutrient and soil organic matter dynamics under shifting cultivation in semi-arid North-Eastern Brazil. *Agriculture Ecosystems & Environment* **38**, 139-151.
- Toky O.P., Ramakrishnan P.S., 1983a. Secondary succession following slash-and-burn agriculture in North-Eastern India. I. Biomass, litterfall and productivity. *Journal of Ecology* **71**, 735-745.

- Toky O.P., Ramakrishnan P.S., 1983b. Secondary succession following slash-and-burn agriculture in North-Eastern India. II. Nutrient cycling. *Journal of Ecology* **71**, 747-757.
- Tomlinson H., Traore A., Teklehaimanot Z., 1998. An investigation of the root distribution of *Parkia biglobosa* in Burkina Faso, West Africa, using a logarithmic spiral trench. *Forest Ecology and Management* **107** (1-3), 173-182.
- Toussaint O., Schneider E.D., 1998. The thermodynamics and evolution of complexity in biological systems. *Comparative Biochemistry and Physiology A* **120** (1), 3-11.
- UNDP, 1999. *Human Development Report*. United Nations Development Programme, New York, 262 p.
- van der Pol F., 1992. *Soil Mining. An Unseen Contributor to Farm Income in Southern Mali*. Bulletin of the Royal Tropical Institute, Vol. 325. KIT Press, 47 p.
- van Wambeke A., 1991. *Soils of the Tropics. Properties and Appraisal*. McGraw-Hill, Inc., New-York, 343 p.
- Vielhauer K., Kanashiro M., Sa T.D.A., Denich M., 1998. Technology development of slash-and-mulch and of fallow enrichment in shifting cultivation systems of the Eastern Amazon. In: Lieberei R., Voss K., Bianchi H. (Eds.), *Proceedings of the Third Studies on Human Impact on Forests and Floodplains in the Tropics (SHIFT) Workshop*, Manaus, 15-19/03/1998. GKSS Geesthacht, pp. 49-60.
- Vierich H.I.D., Stoop W.A., 1990. Changes in West African Savanna agriculture in response to growing population and continuing low rainfall. *Agriculture Ecosystems & Environment* **31**, 115-132.
- Walker B.H., 1985. Structure and function of savannas: an overview. In: Tothill J.C., Mott J.J. (Eds.), *Ecology and Management of the World's Savannas*. Australian Acad. Science, Canberra, pp. 83-91.
- Watt B.K., Merrill A.L., 1963. *Composition of foods*. United States Department of Agriculture, Washington, 190 p.
- Webb N., 1995. *Installation Guide to the Root Washer Basic System*. Delta-T Devices Ltd, Cambridge, 14 p.
- Wezel A., Bocker R., 1999. Mulching with branches of an indigenous shrub (*Guiera senegalensis*) and yield of millet in semi-arid Niger. *Soil & Tillage Research* **50** (3-4), 341-344.
- Wick B., Kuhne R.F., Vlek P.L.G., 1998. Soil microbiological parameters as indicators of soil quality under improved fallow management systems in south-western Nigeria. *Plant and Soil* **202** (1), 97-107.
- Williams T.O., Powell J.M., Fernandez-Rivera S., 1994. Manure utilisation, drought cycles and herd dynamics in the Sahel: implications for cropland productivity. In: Powell J.M., Fernandez-Rivera S., Williams T.O., Renard C. (Eds.), *Livestock and Sustainable Nutrient Cycling in Mixed Farming Systems of Sub-Saharan Africa. Proceedings of an International Conference*, Addis Ababa, Ethiopia, 22-26/11/1993. ILCA (International Livestock Centre for Africa), pp. 393-409.

- Williams T.O., Powell J.S., Fernandez-Rivera, 1995. Soil fertility maintenance and food crop production in semi-arid West Africa: is reliance on manure a sustainable strategy ? *Outlook on Agriculture* **24** (1), 43-47.
- Winter M., 1993-2000. *WebElements. The Periodic Table on the WWW*. [<http://www.webelements.com/>].
- Woomer P.L., 1993. The impact of cultivation on carbon fluxes in woody savannas of southern Africa. *Water Air and Soil Pollution* **70**, 403-412.
- Woomer P.L., Palm C.A., Qureshi J.N., Kotto-Same J., 1998. Carbon sequestration and organic resource management in African smallholder agriculture. In: Lal R., Kimble J.M., Follett R.F., Stewart B.A. (Eds.), *Management of Carbon Sequestration in Soil*. CRC Press Inc, Boca Raton, pp. 153-173.
- Zarin D.J., Duchesne A.L., Hiraoka M., 1998. Shifting cultivation on the tidal floodplains of Amazonia: impacts on soil nutrient status. *Agroforestry Systems* **41** (3), 307-311.
- Zech W., Senesi N., Guggenberger G., Kaiser K., Lehmann J., Miano T.M., Miltner A., Schroth G., 1997. Factors controlling humification and mineralization of soil organic matter in the tropics. *Geoderma* **79** (1-4), 117-161.



## ABBREVIATIONS

ABB	available biomass for burning	FU	feed unit
ABT	Alimentation du Bétail Tropical (Program for the “Improvement of Feeding Systems of Tropical Livestock”, ISRA/CIRAD-EMVT)	GHG	green house gas
Adu	adult	GLM	general linear model
AGB	above-ground biomass	GN	groundnut
BGB	below-ground biomass	INRA	Institut National de la Recherche Agronomique (French Institute for Agronomic Research)
CEC	cationic exchange capacity	IRD	Institut de Recherche pour le Développement (French Institute for Research and Development, formerly ORSTOM)
CI	cropping intensity	ISRA	Institut Sénégalais de la Recherche Agricole (Senegalese Institute for Agricultural Research )
CIRAD	Centre de Coopération Internationale en Recherche Agronomique pour le Développement (French International Centre for Agricultural Research in Hot Regions)	LS	least square
CNRS	Centre National de la Recherche Scientifique (French National Centre for Scientific Research)	LUS	land use system
Com	compound	LW	live weight
Cor	corralled	MA	maize
DM	dry matter	MI	millet
DMI	dry matter intake	MW	metabolic weight
EMVT	Département Elevage et Médecine Vétérinaire (Department of Animal Production and Veterinary Medicine)	NF	non-fractionated
ENGREF	Ecole Nationale du Génie Rural des Eaux et des Forêts (French Institute of Forestry, Agricultural and Environmental Engineering)	OF	old fallow
Equ	equipment	OM	organic matter
FA	fallow	OMI	organic matter intake
FOME	faecal organic matter excretion	OS	owned surface
		PC	principal component
		PCA	principal component analysis
		PET	potential evapotranspiration
		Pm	permanent
		POD	available phosphorus (Olsen method modified by Dabin, 1967)



P <sub>t</sub>	total phosphorus	SOM	soil organic matter
RI	rice	SSA	sub-Saharan Africa
RI	rice	TLU	tropical livestock unit
R <sub>s</sub>	correlation coefficient of Spearman	UWS	upper woody strata
SAS	statistical Analyses System	Wa	household waste
Sea	seasonal	WAS	West African savanna
SOC	soil organic content	WU	working unit
SODEFITEX	Société des Fibres Textiles	YF	young fallow

## TABLE OF TABLES

Table 1.1 Regression coefficients used for woody biomass estimate for the four main species found in Sare Yorobana.....	20
Table 1.2 Carbon, nitrogen and phosphorus content of: a. Plant components of the four main woody species. Contents for other species were estimated as the mean of these values. b. Other above- and below-ground plant components of cropped and fallow fields.....	23
Table 1.3 Dry matter storage in plant components under a crop-fallow succession.....	24
Table 1.4 Estimates for parameters of a regression of $S = \{\text{amount of dry matter, carbon, nitrogen or phosphorus}\}$ on $t = \text{length of fallow}$ , according to a logistic-like model.....	25
Table 1.5 Simplified budget and annual increase of dry matter, carbon, nitrogen and phosphorus in above- and below-ground plant biomass during a crop-fallow succession.....	27
Table 1.6 Anova performed on dry matter, carbon, nitrogen and phosphorus amounts in plant biomass of cropped and fallow plots.....	28
Table 2.1 Soil C, N, and $P_{OD}$ content, C:N ratio and modified [0-2000] $\mu\text{m}$ bulk density in groundnut and fallow plots.....	43
Table 2.2 Effect of land management (fallowing) and texture (clay+fine silt content) on soil properties.....	47
Table 2.3 SOM fractionation in groundnut and fallow plots.....	49
Table 2.4 Effect of land management (fallowing) and texture (clay+fine silt content) on SOM quality.....	50
Table 2.5 Effect of land management (fallowing) and texture (clay+fine silt content) on soil C (total and in fractions), N and $P_{OD}$ storage.....	52
Table 3.1 Biomass of groundnut, millet, maize and rice: a. dry matter storage. b. C, N and $P_t$ content.....	71
Table 3.2 Soil C, N, $P_{OD}$ content, C:N ratio and modified [0-2000] $\mu\text{m}$ bulk density of groundnut, millet, maize and rice fields.....	74
Table 3.3 Effect of cultivation intensity and texture (clay+fine silt content) on soil properties.....	77
Table 3.4 SOM quality as assessed by SOM fractionation in the soil sublayers of millet, maize and rice fields.....	79
Table 3.5 Effect of cultivation intensity and texture (clay+fine silt content) on SOM quality as assessed by C concentration and content, and C:N ratio in non-fractionated soil and in fine- and coarse-size fractions.....	80
Table 3.6 Effect of cultivation intensity and texture (clay+fine silt content) on soil C, N and $P_{OD}$ storage (computed in equivalent soil masses).....	81
Table 3.7 Effect of management of organic inputs on soil physical properties and organic status.....	82
Table 4.1 Settings of C, N and $P_{OD}$ stored in soil (0-20 cm layer) for the calculation of budgets at the village scale, as related to land use (in the case of fallow and rice), ring of management, vicinity of a compound, and cropping intensity.....	105

Table 4.2 Surface distribution (ha) of land use with respect to ring of management and geomorphology in the village of Sare Yorobana.....	107
Table 4.3 Elementary statistics characterising 16 holdings of the village of Sare Yorobana.....	110
Table 4.4 Regression relations of yields between plant biomass components. Model: $Yield_{Component} = a * Yield_{Harvest} + b$ .....	112
Table 4.5 Mean DM, C, N and P storage in a few agro-ecosystems of Sare Yorobana with respect to ring management and land use.....	113
Table 5.1 Plant biomass partitioning of crop harvest measured for cereals in Sare Yorobana.....	136
Table 5.2 Dry matter, carbon, nitrogen and phosphorus budgets of the land use systems exploited by peasants of Sare Yorobana in and around the village territory, as related to crop harvest, livestock-mediated transfers, wood and straw harvest, and residue recycling.....	137
Table 5.3 Dry matter, carbon, nitrogen and phosphorus intake and excretion by livestock measured during the 1997-1998 dry season.....	141
Table 5.4 Behaviour of the cattle of three holdings during day straying as influenced by land tenure, herd size and surface owned by the holding (dry season 1995-1996).....	141
Table 5.5 Input of dry matter to fields from manuring during night corralling as influenced by the plant species planned for cropping.....	143
Table 5.6 Participation of crop harvest, livestock, and collecting of wood and straw to anthropogenic carbon, nitrogen and phosphorus transfers due to farming activities.....	145
Table 6.1 Heat combustion data of grain and vegetative biomass.....	157

## TABLE OF FIGURES

Figure 0.1 Location of the study site of Sare Yorobana in Senegal, West Africa, and isohyets for the 1951-1980 period.....	8
Figure 1.1 Simplified ring organisation of a village of the mixed-farming system of the West African savanna belt..	15
Figure 1.2 Monthly patterns of rainfall, potential evapotranspiration and temperature at the station of Kolda, 1978-1997.....	18
Figure 1.3 Distribution of the length of fallow among the 28 sampled plots of fallow.....	19
Figure 1.4 Dry matter, carbon, nitrogen and phosphorus storage in plant biomass during a crop-fallow succession, and fitting to a modified, logistic-like model.....	26
Figure 1.5 Fate of dry matter, carbon, nitrogen and phosphorus in above-ground woody biomass after clearing of a young and old fallow.....	30
Figure 2.1 Principal components analysis of the soil properties of a chronosequence made of six cropped plots and 11 fallow plots.....	46
Figure 2.2 Evolution of soil C, N and P <sub>OD</sub> storage in the 0-10 and 0-40 cm layers along the crop-fallow succession.	51
Figure 2.3 C, N and P storage in the plant-soil system at three main stages of the crop-fallow succession. ....	53
Figure 2.4 Root decomposition dynamics of <i>Combretum glutinosum</i> Perr. after clearing of a 15 years old fallow as measured during a mesh-bag experiment.....	54
Figure 2.5 Estimated remaining amounts of dry matter, carbon, nitrogen and phosphorus from the decaying root component after clearing of a young and old fallow (stumps removed).....	55
Figure 3.1 Plant and soil carbon, nitrogen and phosphorus storage in main cash and food crops along a typical toposequence in Sare Yorobana, southern Senegal.....	73
Figure 3.2 Principal components analysis of the soil properties of 12 cropped plots. Correlation circles of the variables and projection of the plot replicates on plane PC 1x PC2.....	76
Figure 3.3 Carbon, nitrogen and phosphorus organic inputs in compound fields under three different patterns of organic management of fertility. ....	83
Figure 3.4 Assessment of soil quality of 23 crop and fallow plots as predicted by Feller's criterion (1995b) based on carbon content and fine texture.....	89
Figure 4.1 Mean annual rainfall over the last 60 years.....	101
Figure 4.2 Spatial organisation and land use in the village of Sare Yorobana.....	108
Figure 4.3 Spatial distribution of land use as illustrated by the distance of crops to the compound.....	109
Figure 4.4 Spatial complementarity between cropping intensity and manuring in the mixed-farming system of the village of Sare Yorobana.....	109

Figure 4.5 Principal component analysis of the structure of 16 out of the 18 holdings of Sare Yorobana: correlation circle of the variables and compound replicate projection (1 <sup>st</sup> and 2 <sup>nd</sup> PC).....	111
Figure 4.6a Carbon storage in plant biomass and soil of the territory of the village of Sare Yorobana with respect to geomorphology, ring and land use (cropped, non-cropped). .....	114
Figure 4.7 Self sufficiency in manure and forage availability in the holdings of Sare Yorobana as derived from a simplified agro-pastoral budget.....	117
Figure 4.8 Analysis of sensitiveness of carbon storage calculation as related to the threshold value of cropping intensity driving woody advent biomass in cropped plots: impact of a variation of less or more than 10 % of this threshold value on C stock estimates. ....	117
Figure 4.9 Evolution of land use in the village of Sare Yorobana for the 1997-2047 period as predicted by a static model. ....	118
Figure 4.10 Evolution of carbon storage in the plant-soil system (soil: layer 0-20 cm considered only) of the territory of the village of Sare Yorobana for the 1997-2047 period as predicted by modelling.....	119
Figure 5.1 Anthropogenic flows of carbon established from November 1996 to November 1997 in Sare Yorobana. ....	138
Figure 5.2 Anthropogenic flows of nitrogen established from November 1996 to November 1997 in Sare Yorobana. ....	139
Figure 5.3 Anthropogenic flows of phosphorus established from November 1996 to November 1997 in Sare Yorobana.....	140
Figure 5.4 Organic matter inflows and outflows initiated by intake and faecal excretion of three herds during the 1995-1996 dry season.....	142
Figure 5.5 Manuring intensity from night corralling in the village of Sare Yorobana during the 1996-1997 dry season. ....	143
Figure 5.6 Millet yield as related to manuring practices in the compound and bush rings.....	144
Figure 5.7 Evolution of anthropogenic carbon outflows ratio of C outflow to amount of C stored in plant above-ground biomass of the territory of the village of Sare Yorobana for the 1997-2047 period as predicted by modelling.....	146
Figure 6.1 Human and livestock densities in Sare Yorobana as compared to other situations in Senegal and northern Ivory Coast. ....	156



Organic matter  
dynamics  
in mixed-farming  
systems  
of the West African  
savanna:  
a village case study  
from south Senegal  
RAPHAËL MANLAY

Organic matter (OM) is a multi-purpose tool in West African smallholder mixed-farming systems, but its supply has been decreasing for several decades. To assess the viability of a mixed-farming system of south Senegal, carbon (C), nitrogen (N) and phosphorus (P; available in soil and noted  $P_{OD}$ ) budgets (stocks and flows) were thus quantified.

The village territory of the study showed a ring-like organisation with growing intensification of fertilization and cropping practices from the periphery (bush ring) to the compounds (compound fields).

Stocks in plant and soil averaged 55 tC, 26 tN and 43 kgP ha<sup>-1</sup> in old fallows. They were 100, 30 and 250 % higher than in the bush cropped fields, plant biomass accounting for nearly all of the rise. C, N and P amounts recorded in the soil of compound fields were higher than those of the bush field, but the increase was restricted mainly to the 0-10 cm layer. However, the rather weak response of local sandy soils to management can be interpreted only by reassessing the bio-thermodynamical signification of soil organic carbon cycling in the maintenance of the integrity of local agroecosystems.

Manageable stocks of the whole village territory were estimated to 30 tC, 1.5 tN and 26 kgP ha<sup>-1</sup> in 1997. Carbon was stored mainly in soil. Livestock, crop harvest and wood collecting were responsible for respectively 59, 27 and 14 % of the C uptake on the village territory. As a result, large C flows were set towards the compound ring (3.8 tC ha<sup>-1</sup> y<sup>-1</sup>). N and P depletion of the system amounted to 4 kgN and 1 kgP ha<sup>-1</sup> y<sup>-1</sup>, suggesting that the system was close to nutrient balance.

Under current demographic growth rate, C depletion may reach 0.38 tC ha<sup>-1</sup> y<sup>-1</sup> and C demand may double during the next three decades. Without any intensification of farming practices, the viability of the system might soon be called into question.

DOCTORAL THESIS

ENVIRONMENT